

					1	2	3	4	5	6	7	8	9
18	C-1811DK	BSC24-01082	1-2,3-5-7-8-10,4-6-9			38VP-P		115V		+B112	29VP-P	12V	165V
20	C-2011DK	BSC24-01082	1-2,3-5-7-8-10,4-6-9			38VP-P		115V		+B112	29VP-P	12V	165V
20	C-2010DK	BSC24-01082	1-2,3-5-7-8-10,4-6-9			38VP-P		115V		+B112	29VP-P	12V	165V
20	C-2091DK	BSC24-01082	1-2,3-5-7-8-10,4-6-9			38VP-P		115V		+B112	29VP-P	12V	165V
21	C-5405DK	BSC25-12124	1-2-5-6-7-10,3-4-8,11-12	14.5V	27V		115V	+B115	-30V	AFC165VP-P		165V	ABL
21	C-5420DK	BSC25-12124	1-2-5-6-7-10,3-4-8,11-12	14.5V	27V		115V	+B115	-30V	AFC165VP-P		165V	ABL
21	C-5404CK	BSC25-12124	1-2-5-6-7-10,3-4-8,11-12	14.5V	27V		115V	+B115	-30V	AFC165VP-P		165V	ABL
21	C-5422CK	BSC25-12124	1-2-5-6-7-10,3-4-8,11-12	14.5V	27V		115V	+B115	-30V	AFC165VP-P		165V	ABL
21	C5403	BSC25-12124	1-2-5-6-7-10,3-4-8,11-12	14.5V	27V		115V	+B115	-30V	AFC165VP-P		165V	ABL
21	C5408-1	BSC25-12124	1-2-5-6-7-10,3-4-8,11-12	14.5V	27V		115V	+B115	-30V	AFC165VP-P		165V	ABL
20	C-2001DK	BSC24-01022	1-2,3-4-6-8-11,5-9-10			9VP-P	AFC165VP-P		180V	29VP-P	ABL	25V	106V
20	C-2002SG	BSC24-01022	1-2,3-4-6-8-11,5-9-10			9VP-P	AFC165VP-P		180V	29VP-P	ABL	25V	106V
20	C-2002SC	BSC24-01022	1-2,3-4-6-8-11,5-9-10			9VP-P	AFC165VP-P		180V	29VP-P	ABL	25V	106V
28	298X8M	BSC30-23515	1-2-3,4-5-6-7-9-10	145V	+B145V		210V		-27V	27V	12V	ABL	32VP-P
29	2840XH	BSC29-23538	1-2-3,4-5-6-7-9-10	125V	+B125V		185V		-27V	27V	12V	ABL	30VP-P
28	28J52	BSC25-23670	1-2-3,4-6-7-9-10	110V	+B110V		198V			27V	16.3	ABL	28VP-P
14	C37-851	BSC22-0974A(83P)	1-7,5-6,8-9-10		+B130V			ABL	D481	15V	130V		
18	C47-351	BSC24-09074(83P)	1-7,5-6,8-9-10		+B130V			ABL	D481	15V	130V		
18	KQ47-9	BSC24-0974C(83P)	1-2-7-8,5-6,8-9-10		+B110V			ABL		17V	112V		
17	C44MZ	BSC25-0974D(83P)	1-7,5-6,8-9-10		+B115V			ABL		15V	118V		
18	C47-851B	BSC25-0974B(83P)	1-7,5-6,8-9-10		+B130V			ABL	D481	15V	130V		
14	CTP-3243	BSC22-0189A(80P)	1-2-4-10,5-7-8		28VP-P	80V		+B110V	33V	D460	15V	C465	ABL
14	CTP-3916	BSC24-01089(80P)	1-2-4-10,5-7-8		28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
22	CTP-7922	BSC25-09195(80P)	1-2-3,7-9,5-6	15V			250VP-P	ABL	28VP-P		120V		+B120V
14	CTP-3507	BSC22-0135A(79P)	1-2,4-5-6,7-8		+B220V	210V	ABL	3S	40V	18V		28V P-P	
20	CTP-3920	BSC24-01035(79P)	1-2,4-5-6,7-8		+B220V	210V	ABL	3S	40V	18V		28V P-P	
13	CTP-1309R	BSC07-14287	1-2,3-4-5,7-8			28V P-P	24V	17V		ABL	220V	+B220V	
14	CTP-3903	BSC21-10226	1-2-4-10,5-6-7		28VP-P	110V		+B110V	33V		12V		ABL
20	CEP-6955-00	BSC25-16236	1-3,4-5-8-10	130V			+B130V		33V		ABL	28V P-P	
18	CTP-4507	BSC21-10266	1-2-4-10,5-6-7		28VP-P	110V		+B110V	33V		13V		ABL
20	CEM-6022P-00	BSC25-21221	1-2,3-4-5-6	130V	+B130V	6V		110VP-P		28V P-P	ABL		
21	CS54-A3A	BSC25-21366(A3- P)	1-2,3-4-5-6	130V	+B130V	5V	12V			28V P-P	ABL	SV=200-1060V	
25	CEM2515C	BSC27-09569	1-2-4,3-5-6-8-9		+B135V	200V	1.8V	135V	AFC28VP-P	8V	ABL		28V P-P
25	CMX2510C-00	BSC24-23634(A4- P)	1-2-4,5-8-9-10	130V	+B130V			200V	AFC135VP-P			5V	28V P-P
46	46B4FT-01	BSC13-01239	1-2,4-5-6,7-8	12V			ABL	+B110V	180V	110V		28V P-P	
72	CVP721FT	BSC28-09464(T8B P)	1-5-7.2-6-8-9	178V		28V P-P		ABL	+B110	18VP-P	115V	85VP-P	
29	C27SX1	BSC29-23539	1-2,3-4-5-6-8-9-10	111V	+B111		AFC100VP-P	-30V	26V	14.8	ABL	31VP-P	
14	C-1411DF	BSC22-04018	2-9,3-4-6-7-10,5-8	ABL		20VP-P	AFC140VP-P	58V	110V		29VP-P	+B110	
14	C-3700DK	BSC22-12013	1-2-5-6-7-10,3-4-8,11-12	14V	24V		115V	+B115	-30V	AFC165VP-P		150V	ABL
14	CT-1438R	BSC22-08219	1-2,3-4-6-8,5-9-10				29VP-P	15V	180V		ABL	160VP-P	+B112V
21	21D-CM	BSC22-23570	1-2-9,3-4-6-7-9	115V	+B115	27V	11V			AFV140V		29VP-P	180V

10	11	12	HV-	FV-	SV-	FX-
15.5V	ABL		24KV	4.8-7.8KV		
15.5V	ABL		24KV	4.8-7.8KV		
15.5V	ABL		24KV	4.8-7.8KV		
15.5V	ABL		24KV	4.8-7.8KV		
29VP-P		9VP-P	25KV	5.1-8KV	320-960V	
29VP-P		9VP-P	25KV	5.1-8KV	320-960V	
29VP-P		9VP-P	25KV	5.1-8KV	320-960V	
29VP-P		9VP-P	25KV	5.1-8KV	320-960V	
29VP-P		9VP-P	25KV	5.1-8KV	320-960V	
29VP-P		9VP-P	25KV	5.1-8KV	320-960V	
+B115	16V		24KV	7.2-8.8KV	200-610V	
+B115	16V		24KV	7.2-8.8KV	200-610V	
+B115	16V		24KV	7.2-8.8KV	200-610V	
AFC150VP-P			30KV	5.6-10KV	100-1200V	
AFC135VP-P			29KV	6.3-10.4KV	140-1100V	
AFC150VP-P			25KV	5.7-9.9KV	120-1100V	
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P			24KV	3.8-6.7KV	200-980v	
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
160V			22KV			9KV
180V			24KV			11KV
			25KV	3.8-6.7KV	150-870V	
		(0=3V)	22KV			11KV
		(0=3V)	22KV			11KV
			7KV			
			21KV	4.4-6.9KV		
7V			25KV	7-10KV	200-980V	
160V			21KV			7.3KV
			25KV	6-9.3KV	240-960V	
			25KV	6.1-9.5KV		
			27KV	7.3-10.2KV	100-1200V	
			24KV	5-9KV	120-930V	
			13KV			
			28KV	9-13KV		
190V			29KV	5.1-9.5KV	110-990V	
14.5V			22KV	4.4-7.2KV	420-860V	
29VP-P	20VP-P		22KV	5-7KV	200-600V	
112V			22KV	5-8KV	170-860V	
ABL			22KV	4.6-8.5KV	100-890V	

					1	2	3	4	5	6	7	8	9
21		21N52-E1	BSC27-23585	1-2-5,3-6-8-9	115V	+B115	27V		180V	29VP-P	ABL		AFC140V
14		CS37-C1/4A	BSC22-1168A	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
16		44C3Y3-1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
22		C564	BSC24-11068B	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		DV-2130EX	BSC26-12253	1-2-5-6-7-10,3-4-8	12.5V	25V	115V	180V	29VP-P	135VP-P		180V	ABL
21		C-5406SPN/SP	BSC26-12255	1-3-6,2-5-7-8,4-10	115V	25V	+B115	150VP-P	29VP-P	180V		15V	ABL
16		16P-A60E	BSC23-14224										
18		C-1800DK	BSC24-01246	1-2-7-8,3-4,5-6,10-11	150VP-P	30VP-P		36VP-P	+B110	+B110	25V		ABL
18		C-1803DK	BSC24-04016	1-3-6,2-7-8,4-5,10-11	115V	25V	+B115	180VP-P	29VP-P	180V		14V	ABL
18		C-1801DK	BSC24-01082	1-2,3-5-7-8-10,4-6-9		38VP-P		115V		+B112	29VP-P	12V	165V
18		C-1805DK	BSC24-03040	1-3-4,6-7-9	115V		+B115	180V				ABL	28VP-P
18		C-1850CK	BSC25-12124	1-2-5-6-7-10,3-4-8,11-12	14.5V	27V	115V	+B115	-30V	AFC165VP-P		165V	ABL
20		C-202NK	BSC24-01022	1-2,3-4-6-8-11,5-9-10		9VP-P	AFC165VP-P		180V	29VP-P	ABL	25V	106V
14		TC-482D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
25		TC-25GF10R	BSC31-23596	1-2-7,4-5-6	140V	+B140v			30VP-P	30V	200V		
25	MX-2)	TC-25V40RQ	BSC29-23576	1-2,3-4-5-6	122V	+B122V		24V	28VP-P	180V	ABL		
33	M16MV3	TC-33V32H	BSC27-23600	1-2,3-4-5,6-7-10	120V	+B120V	27.5V	13.5V		32VP-P		ABL	
29		TC-29VR	BSC29-23614	1-2,3-4-5,6-7-10	112V	+B112V	24.5V	11.5V		29VP-P		ABL	
21		2188S ()	BSC25-21622	1-2,3-4-5-6	115V	+B115V	7V	100V		30VP-P	ABL		
21		TC-2140	BSC30-23635	1-2,4-5-7,6-8-9	9V	+B90V		25V	32VP-P	180V			16.5V
18		DB47C3-1	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
14		TC-481D	BSC22-14112	1-3-4,2-5-6	110V	28VP-P		170V		12V	ABL		
14		TC-430D	BSC22-0646A (M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		28VP-P	
16		TC-4230DD	BSC24-06046 (M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
18		TC-840D	BSC24-06134	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V		25V		29VP-P	ABL
18	(M15L)	TC-1871DR	BSC25-03106 (M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
22		22"	BSC25-07235	1-2-3-4,6-8-9	200V	42VP-P	113V	+B113V	ABL	56V		29VP-P	
14		TH14-N8R	BSC22-06204	1-2-6-8,3-4-5	28VP-P	25V	115V	+B115V	170V	20V	ABL		
18		TC 875D	BSC22-01280	- - ,									
25		TC M25C	BSC26-16263	1-2-7,3-5-6-9,4-10	+B120V	180V		8VP-P	28V	31VP-P	120V	ABL	-30V
21		TC 2188S M	BSC26-23391	1-2-10,3-5-7	113V	+B113	25V				31VP-P	ABL	
21		TC 2188M	BSC26-23392	1-2-10,3-5-7	113V	+B113	25V				31VP-P	ABL	
25		TC 2588	BSC28-23415 (C15)	1-2-10,3-5-7	115V	+B115	25V				31VP-P	ABL	
25		TC 25D	BSC28-23432 (M15)	1-2-7,3-5-6-9,4-10	110V	+B110		9VP-P	25V	31VP-P	207V	ABL	48VP-P
18		47CD3	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
25		2506	BSC27-23583	1-2-3,4-5-6-7-9-10	130V	+B130V	190V		24.5V	27V	14V	ABL	30VP-P
21		2150XHC	BSC26-23594	1-2-3,4-6-7-9-10	115V	+B115V	190V			27V	12V	ABL	27VP-P
29		2950XHC	BSC33-23641	1-2-3,4-5-6-7-9-10	125V	+B125V	180V		-27V	27V	12V	ABL	30VP-P
17		HC44FS-1	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		JTC371-2	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		4C3703	BSC22-01050	1-2-3,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P

10	11	12	HV-	FV-	SV-	FX-
			27KV	5.6-9.5KV	130-920V	
SV=210-840V			22KV	3.8-6.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SC=510-1100V			24KV	6.5-9.2KV		
-30V		8VP-P	26KV	6.8-10.1KV	180-880V	
-30V			26KV	6.8-10.1KV	180-880V	
	29VP-P		22KV	3.5-8.2KV	180-880V	
9VP-P			24KV	7-9KV	540-1100V	
15.5V	ABL		24KV	4.8-7.8KV		
			24KV	6.6-7.5KV	410-880V	
29VP-P		9VP-P	25KV	5.1-8KV	320-960V	
+B115	16V		24KV	7.2-8.8KV	200-610V	
			22KV			
ABL			31KV	6.7-10.5KV	200-1120V	
			29KV	5.1-9.8KV	110-1080V	
194V			27KV	5.4-9.3KV	150-1030V	
194V			29KV	6.2-10.3KV	210-1120V	
			25KV	6.1-10.3KV	140-990KV	
ABL			29KV	6.2-10.3KV	140-1100V	
			24KV	4-6.4KV		
			22KV	4-6.4KV	140-760V	
R557			22KV	5-7.6KV	180-810V	
R557			24KV	6.4-8.5KV	380-920V	
			24KV	6.4-8.5KV	380-920V	
	D502		25KV	6.4-8.5KV	380-1100V	
			25KV	3.6-6.4KV	130-760V	
			22KV	3.4-6.8V	230-780V	
			22KV	3-6.1KV		
			26KV	6-10KV	280-1120V	
180V			25KV	5.1-9.1KV	140-980V	
180V			27KV	5.1-9.1KV	140-980V	
180V			28KV	6.2-9.9KV	140-980V	
			28KV	6.2-9.9KV	200-980V	
AFC150VP-P			24KV			8.6KV
AFC150VP-P			27KV	6-9.8KV	110-1200V	
AFC150VP-P			26KV	5.4-9.8KV	150-1120V	
AFC170VP-P			33KV	6-9.8KV	110-1200V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
AFC150VP-P			22KV			8.6KV

					1	2	3	4	5	6	7	8	9
14		C-1421Z	BSC22-01100	1-2-3-4-5,6-9-10	42V	16.5V		28VP-P	130VP-P	+B112V	ABL		170V
16		C-1615C	BSC22-03125	1-2-5,4--6-7-9-10	114V	+B114				43V	12V	ABL	28VP-P
18		C-182E5C	BSC24-03081	1-2-3-5,4-6-7-9-10	114V	+B111	180V			ABL	16.5V	ABL	28VP-P
18		C-181R3C	BSC25-04107	1-2-3-5,4-7-8-9-10	114V	175V	+B114V			ABL	12V	47V	28VP-P
18		C-1821Z	BSC24-01087	1-2-3-4-5-8,6-9-10	42V	16.5V		28VP-P	160VP-P	+B112V	ABL		170V
18		C-187D5C2	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
20		C2038DH	BSC24-01144	1-2-3-4-5-8,6-9-10	42V	16.5V		28VP-P	120VP-P	+B114V	ABL	250VP-P	170V
21		C-2120HC	BSC25-03189	1-2-3,4-6-7-9-10	113V	+B112V	190V			27V	12V	ABL	30VP-P
28		288X6M2	BSC30-16242	1-2-3,4-6-7-9-10	145V	+B145V	190V			27V	12V	ABL	28VP-P
20		C-205D5C	BSC23-02303	1-2-3-5,4-6-7-9-10	111V	+B111V	180V			51V	12V	ABL	28VP-P
25		C-2506XH	BSC28-23384	1-2-3,4-5-6-7-9-10	145V	+B145V	180V		-27V	27V	14V	ABL	30VP-P
21		C-2104	BSC25-03395	1-2-3,4-5-6-8-9	113V	+B112V	180V		13V	27V		30VP-P	AFC140VP-P
21		C-2112SF	BSC27-03492	1-2-3,4-6-7-9-10	120V	+B120V	180V		13V	27V	ABL	ABL	28VP-P
29		TC-29GF12G	BSC32-23509 (M17)	1-2-7,3-4-5	140V	+B140	25V			34VP-P	207V	ABL	
21		TC21L3RQ	BSC29-23553 (MX1)	1-2,3-5-6-7	140V	+B140				25V	34VP-P	200V	ABL
25		TC-25V/35HN/	BSC29-23556	1-2,3-4-5,6-7-10	140V	+B140	30V	8V		28VP-P		ABL	
21		TC-2186	BSC28-23568	1-2-7,3-5-6-9-10	113V	+B113			25V	31VP-P	180V	ABL	5.1V
29		TC-29V30R	BSC24-23621	1-2-3,4-6-7-9-10	135V	+B135V	176V			27V	13.5	ABL	28VP-P
29		TLF15538F	BSC28-23647	1-2-7,3-4-9	110V	+B110		30VP-P			200V	ABL	
29		JH-29AIS	BSC29-24648	1-2-3,4-5-6-8	120V	+B120V	180V	30VP-P	17.5	28V	ABL		
28		TC-28WG25G	BSC30-27688	1-2-8,3-4-5-7	135V	+B135V	16.9V			36VP-P		180VP-P	
29		TC-29V2H	BSC26-23697	1-2,3-4-5,6-7-10	112V	+B112V	24.5V	11.8V		29VP-P		ABL	
29		TLF14628F	BSC22-06728	1-3-4-5-8,2-6	29VP-P	112V	AFC60VP-P	20.5V	20V	+B115V	ABL		
21			BSC27-23744	1-2-10,3-4-5-6-7	113V	+B113	110VP-P	20V	11.9V		31VP-P	ABL	
29		TC-29GF-30	BSC24-23753	1-2-3,4-5-6-7-9-10	108V	+B108V	180V		120VP-P	22.5V	37.8V	ABL	30VP-P
29		TC-AV29C	BSC32-23754	1-2-7,3-6-9	113V	+B113		34VP-P			195V	ABL	4.5V
100		100" TC10	BSC30-01523	1-4-7-8-9,3-5-6		ABL	115V	16.5V	+B115	175V	24.5V	AFC100VP-P	34VP-P
50-120		50"-100"	BSC28-07545	3-4,5-6			+B100V	110V		18V		ABL	
14		CRP-149D	BSC22-01177A	1-2,3-4-6,5-8,11-12	29VP-P		180V	+B110V		110V		ABL	
20		CTK-216D	BSC24-01177	1-2,3-4-6,5-8,11-12	29VP-P		180V	+B110V		110V		ABL	
29		C29G67S	BSC27-23603	1-2,3-4-5-6-8-9-10	110V	+B110	AFC76VP-P	7.5V	27.5V	14.2	ABL	31VP-P	
21		C21D8A	BSC27-23618	1-2,3-5-6-8-9-10	115V	+B115	AFC90VP-P		28.2V	16.5	ABL	31VP-P	
14		CRP-450D	BSC22-10109 (NP8)	1-2-4,3-7-10,11-12			+B108	12V	ABL		108V		
14		CRP-451D	BSC22-08103 (NP8)	1-2,3-5-8-9,6-7-10	28VP-P		12V	ABL	29VP-P	+B110	180V	52V	
14		HFC-1421	BSC23-08102 (NP8)	1-4-5,2-3-6-8,9-10	110V		52V	180V	+B110V	29VP-P	ABL	14V	
16		CAP-169D	BSC23-08130	1-4-5,6-10,8-9	107V			190V	+B107V	29VP-P	ABL	D703	12V
18		CPT-1801SF	BSC25-08097 (NP8)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
18		CPT-1805	BSC24-08008 (NP8)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
18		CPS182	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		CPT-2057	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
19		CMT-1910	BSC25-16175 (NP8)	1-2-5,3-4-6-8,9-10	110V	+B110V	14.5V	26V	180V	28VP-P	ABL		

10	11	12	HV-	FV-	SV-	FX-
115V			22KV			6.8KV
AFC150VP-P			22KV	4-7KV	150-750V	
AFC150VP-P			24KV			8.6KV
AFC150VP-P			25KV	5.5-8.5KV	280-870V	
112V			24KV			7.8KV
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
120V			24KV			8.8KV
AFC160VP-P			25KV	4.9-8.4KV	150-870V	
AFC150VP-P			30KV	8.5-12.1KV	240-1050V	
AFC240VP-P			23KV	4.6-8.1KV	120-1020V	
AFC150VP-P			28KV	6.2-10.3KV	220-1080V	
			25KV	5.7-9.9KV	170-950KV	
AFC135VP-P			27KV	6.2-9.9KV	130-1250V	
			32KV	6.9-10.8KV	200-890V	
			30KV	6.2-9.8KV	150-1210V	
200V			29KV	5.6-9.7KV	150-1140V	
11VP-P			28KV	6.4-9.7KV	100-970V	
AFC00VP-P			24KV	4.7-8.3KV	110-850V	
			28KV	6.9-10.8KV	200-890V	
			29KV	5.7-9.9KV	170-950KV	
ABL			30KV	7.3-10.2KV	160-1240V	
194V			27KV	5.3-9.6KV	160-1030V	
			22KV	4.3-6.5KV		
180V			27KV	5.1-9.1KV	140-980V	
50VP-P			24KV	4.5-9.2KV	90-860V	
			32KV	6.9-10.8KV	150-1240V	
			30KV			9.3KV
			28KV			
	CR705	12V	22KV			6.4KV
	CR705	12V	22KV			6.4KV
210V			27KV	6.4-10.5KV	210-1200V	
210V			22KV	5.8-10KV	160-1050V	
180V		31VP-P	22KV	3.5-6.2KV		
110V			22KV	5.8-8.2KV	220-840V	
28VP-P			23KV	5.8-8.2KV	220-840V	
			23KV	5.8-8.2KV	220-840V	
28VP-P			25KV	7.8-9.1KV	410-880V	
			24KV	6.7-9KV	520-1100V	
28VP-P			24KV	6.2-8KV	420-850V	
180V		28VP-P	24KV	3.5-6.2KV		
28VP-P			25KV	4.6-9.2KV	340-1080V	

					1	2	3	4	5	6	7	8	9
20		CEP-2085	BSC25-08178	1-5,2-6-8,3-9,4-10	110V		14V		+B110V	180V	ABL	28VP-P	D770
21		CPT-2177SF/D	BSC25-08230 (G7P	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	15.2	9VP-P
21		CEP-5322	BSC25-10232	2-5,3-6,4-7-12,10-11		210V	115V	69V	+B115V	+B115V		ABL	
24		SF-2403	BSC28-08212	1-5,2-3-4-6-8,9-10	120V		26V	180V	+B120V	31VP-P	ABL	15.2	9VP-P
18		CPT-1892	BSC25-08333	1-5,3-4-6-8-9-10	111V		28VP-P	180V	+B111V		ABL	26V	15.3
25		CMT2518	BSC28-23382	1-2,3-5-6-8-9,4-10	110V	+B110	AFC110VP-P	12V	26.2	15.3	ABL	31VP-P	
20		CPT-203	BSC25-14399	1-2,3-4-6,5-8,11-12	29VP-P		180V	+B110V		110V		ABL	
20		CPT-2059	BSC25-19437	1-2-9,3-6-10,11-12	330VP-P	31VP-P	200V			110V		ABL	
27		C27SX1	BSC29-23539	1-2,3-4-5-6-8-9-10	110V	+B110	AFC88VP-P	-30V	26.2	13V	ABL	31VP-P	
24		C24CS1	BSC27-23676	1-2,3-5-6-8-9-10	100V	+B100	57.8V		24V	12.5	ABL	25VP-P	
29		C29ST1	BSC29-23539	1-2,3-4-5-6-7-8-9-10	110V	+B110	AFC110VP-P	-30V	26V	14.8		31VP-P	152V
14		79A302-2	BSC22-10030	1-7-9,2-5-6-10,3-4,11-12	25V				+B135V	135V	28VP-P	ABL	
19		DK9C3	BSC24-10029	1-7-9-10,3-4,5-6,11-`12	27V		110VP-P		+B130V	130V	AFC52VP-P	ABL	
20		DK9C2	BSC24-10029	1-7-9-10,3-4,5-6,11-`12	27V		110VP-P		+B130V	130V	AFC52VP-P	ABL	
20		K9121	BSC24-10029	1-7-9-10,3-4,5-6,11-`12	27V		110VP-P		+B130V	130V	AFC52VP-P	ABL	
20		DK3C2	BSC24-10029	1-7-9-10,3-4,5-6,11-`12	27V		110VP-P		+B130V	130V	AFC52VP-P	ABL	
20		K9121	BSC22-04026	1-2-3-4-5-6,8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
20		79A307-1	BSC22-04026	1-2-3-4-5-6,8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
20		D9121	BSC22-04026	1-2-3-4-5-6,8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
20		79A307-2	BSC22-04004	1-2-3-5-6,4-8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
20		79A307-3	BSC22-04161	1-2-3-5-6,4-8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
20		79A302-5	BSC22-04161	1-2-3-5-6,4-8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
20		DK9C2-5K	BSC22-04161	1-2-3-5-6,4-8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
14		79A302-9	BSC24-06298	1-2-3-6,4-5-10,8-9	1100VP-P	135V	180V	41V	4V	+B135V	ABL	32VP-P	
20		K9181	BSC22-04679	1-2-3-4-5-6,8-9-10	AFC150VP-P	28VP-P	15V	180V		45V	ABL	+B135V	920VP-P
14		XT-3701	BSC22-04032	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
14		XT-3702A	BSC22-04032	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
14		XT-3718	BSC22-04032	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
14		KTB-3731	BSC22-04032	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
14		XT-370A	BSC22-04032	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
14		XT-3702	BSC22-04032	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
16		XT-4201	BSC22-04032	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		XT-5102	BSC22-04032	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
18		XT-4701	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
18		XT-4702	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
18		LS-4728	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
18		LS-4738R	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		LS-5128	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		LS-5138R	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		XT-5125	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		KT-5101	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V

10	11	12	HV-	FV-	SV-	FX-
26V			25KV	7-9KV	480-1100V	
			24KV	6.7-9KV	520-1100V	
16V			25KV	4.3-6.5KV		
			28KV	6.7-9KV	240-890V	
28VP-P			25KV	6.3-8.6KV	200-820V	
			28KV	4.2-9.2KV	190-980V	
		13V	25KV			6.4KV
+B110V		12V	25KV	4.6-8.3KV	170-900V	
210V			29KV	6.1-10.4KV	150-1190V	
210V			27KV	7.2-10.1KV	170-810V	
234V			30KV	7-11.2KV	340-1000V	
			24KV	5.7-8.5KV	780-1250V	
14V		28VP-P	24KV	4.2-6.8KV		
14V		28VP-P	24KV	4.2-6.8KV		
14V		28VP-P	24KV	4.2-6.8KV		
14V		28VP-P	24KV	4.2-6.8KV		
135V			22KV	5.7-8.4KV	780-1250V	
135V			25KV	5.7-8.4KV	780-1250V	
135V			22KV	5.7-8.4KV	780-1250V	
135V			22KV	5.3-8.4KV	220-790V	
135V			22KV	5.3-8.4KV	220-790V	
135V			22KV	5.3-8.4KV	220-790V	
135V			22KV	5.3-8.4KV	220-790V	
			24KV	4.6-6.5KV	200-800V	
135V			23KV	4.6-8.6KV	60-760V	
110V			22KV	5-7.2KV	230-820V	
110V			22KV	5-7.2KV	230-820V	
110V			22KV	5-7.2KV	230-820V	
110V			22KV	5-7.2KV	230-820V	
110V			22KV	5-7.2KV	230-820V	
110V			22KV	5-7.2KV	230-820V	
110V			22KV	5-7.2KV	230-820V	
110V			22KV	5-7.2KV	230-820V	
110V			22KV	5-7.2KV	230-820V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	

					1	2	3	4	5	6	7	8	9
20		XT-5102	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		XT-5103	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		XT-5124	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		XT-5101	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		XT-5140	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
20		MV-5186	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
21		M2188	BSC22-04131	1-2-4-5-8,3-9-10	42V	16.5V	+B110V	28VP-P	AFC180VP-P		ABL		170V
21		XT-5670	BSC22-04131	4-5-8,3-9-10			+B110V	28VP-P	AFC180VP-P		ABL		170V
22		XT-5650	BSC25-23352	1-2-3,4-6-7-9-10	130V	+B130V	180V			26V	12V	ABL	28VP-P
22		XT-5601	BSC25-23352	1-2-3,4-6-7-9-10	130V	+B130V	180V			26V	12V	ABL	28VP-P
22		XT-5622	BSC25-23352	1-2-3,4-6-7-9-10	130V	+B130V	180V			26V	12V	ABL	28VP-P
25		XT-6698T	BSC27-23461	1-2-3,4-6-7-9-10	135V	+B134V	180V			27V	12V	ABL	27VP-P
28		XT-7103K	BSC27-23461	1-2-3,4-6-7-9-10	135V	+B134V	180V			27V	12V	ABL	27VP-P
28		XT-7102	BSC27-23461	1-2-3,4-6-7-9-10	135V	+B134V	180V			27V	12V	ABL	27VP-P
20		KT-5101I	BSC25-25542	1-2-4-5-6-8,3-9-10	45V	18V	+B110V	28VP-P	AFC180VP-P	175VP-P	ABL		188V
20		KT-5102I	BSC25-25542	1-2-4-5-6-8,3-9-10	45V	18V	+B110V	28VP-P	AFC180VP-P	175VP-P	ABL		188V
21		XT-5653	BSC28-23551	1-2-3,4-6-7-9-10	130V	+B130V	180V			27V	12V	ABL	32VP-P
20		XT-5103D	BSC23-04682	1-2-4-5-8,3-9-10	46.5V	17.5V	+B112V	28VP-P	AFC150VP-P		ABL		180V
29		TC2918	BSC30-23644	1-2-3,4-5-6-7-9-10	115V	+B115V	180V		40VP-P	27V	12V	ABL	28VP-P
29		TC2928	BSC30-23644	1-2-3,4-5-6-7-9-10	115V	+B115V	180V		40VP-P	27V	12V	ABL	28VP-P
25		TC2518	BSC30-23644	1-2-3,4-5-6-7-9-10	115V	+B115V	180V		40VP-P	27V	12V	ABL	28VP-P
14		TFK2006	BSC20-14023	2-6		+B118V		ABL		118V			
14		TFK2016	BSC20-14023	2-6		+B118V		ABL		118V			
14		TFL1400	BSC20-14023	2-6		+B118V		ABL		118V			
20		TFL5000	BSC23-14058	2-6		+B118V		ABL		118V			
20		TFL5016	BSC23-14058	2-6		+B118V		ABL		118V			
20		TFL6016	BSC23-14058	2-6		+B118V		ABL		118V			
22		GF6060X	BSC23-14058	2-6		+B118V		ABL		118V			
28		2560	BSC22-14611	2-6		+B140V		ABL		140V			
14		LZ174A100THLAT	BSC24-23547	1-2-4-6,3-5-7	80V	20VP-P		+B80V	B1 8.5V	110V	34VP-P	ABL	
		TCF-7000TOTOKUT	BSC24-23547	1-2-4-6,3-5-7	80V	20VP-P		+B80V	B1 8.5V	110V	34VP-P	ABL	
20		MSUTFQA03	BSC23-23549	1-2,5-6	45V	+B 45V			B1 10.2V			ABL	
14		MSIFAK29	BSC20-21565	1-2-3-4-5,9-10	B1 12V	40.5V	AFC150V		28VP-P	ABL	-40V		115V
		4275902500	BSC20-21565	1-2-3-4-5,9-10	B1 12V	40.5V	AFC150V		28VP-P	ABL	-40V		115V
14		TRNS-FB-3035A	BSC21-19582	1-2-8,3-9,4-6-7	B1 14.2V	36.5V	+B125V			AFC125VP-P	32VP-P		115V
14		FEC003	BSC21-19582	1-2-8,3-9,4-6-7	B1 14.2V	36.5V	+B125V			AFC125VP-P	32VP-P		115V
14		BSC-140224335	BSC23-03590	1-2,3-9,4-5-6-8	110V	+B11V		18V	AFC 76VP-P		ABL	B1 2V	
14		11/ULZ6	BSC23-03590	1-2,3-9,4-5-6-8	110V	+B11V		18V	AFC 76VP-P		ABL	B1 2V	
14		CMC1414AEL	BSC23-21550	1-7-9,2-5-6-10,3-4	90V	23V	30VP-P		B1 14V	AFC 140VP-P	+B90V		190V
		DCF-1580	BSC23-21550	1-7-9,2-5-6-10,3-4	90V	23V	30VP-P		B1 14V	AFC 140VP-P	+B90V		190V
14		47F13-0120	BSC23-01577	2-3-4-5,6-9-10		B1 14.2V		30VP-P	AFC150VP-P	+B130V	ABL		220V

10	11	12	HV-	FV-	SV-	FX-
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
110V			24KV	4.2-7.8KV	220-870V	
AFC150VP-P			25KV	5.5-9.1KV	180-980V	
AFC150VP-P			25KV	5.5-9.1KV	180-980V	
AFC150VP-P			25KV	5.5-9.1KV	180-980V	
AFC145VP-P			27KV	5.5-9.5KV	180-1060V	
AFC145VP-P			27KV	5.5-9.5KV	180-1060V	
AFC145VP-P			27KV	5.5-9.5KV	180-1060V	
110V			25KV	6.5-9.5KV	150-1120V	
110V			25KV	6.5-9.5KV	150-1120V	
AFC170VP-P			28KV	5.9-9.5KV	240-1250V	
112V			23KV	4.7-8.6KV	150-920V	
AFC170VP-P			30KV	5.9-10KV	160-980V	
AFC170VP-P			30KV	5.9-10KV	160-980V	
AFC170VP-P			30KV	5.9-10KV	160-980V	
			20KV	7.2KV		
			20KV	7.2KV		
			20KV	7.2KV		
			23KV	7.4KV		
			23KV	7.4KV		
			23KV	7.4KV		
			23KV	7.4KV		
			22KV	8.6KV		
			24KV	4.1-7.2	150-780V	
			24KV	4.1-7.2	150-780V	
			19KV	3.5-6.2KV	75-660V	
+B 115V			20	4.3-7.3	110-840V	
+B 115V			20	4.3-7.3	110-840V	
			21	3.8-7.2	110-990	
			21	3.8-7.2	110-990	
			23	4.7-8.7	140-890	
			23	4.7-8.7	140-890	
	ABL		23	5.4-8.7	150-1040	
	ABL		23	5.4-8.7	150-1040	
130V			23	3.8-7.7	140-890	

					1	2	3	4	5	6	7	8	9
		MCFT-405	BSC23-01577	2-3-4-5,6-9-10		B1 14.2V		30VP-P	AFC150VP-P	+B130V	ABL		220V
14		FEA237	BSC19-23561	1-2-3-10,4-5-6-9	85V	+B85V	217V	40VP-P		110VP-P	ABL		B1 5.9V
14		79A361-3	BSC19-23561	1-2-3-10,4-5-6-9	85V	+B85V	217V	40VP-P		110VP-P	ABL		B1 5.9V
21		TC-2131CH	BSC25-04229	1-4-5-8,2-3-7-9-10	118V	12V	29VP-P	+B118V	180V	ABL	130VP-P	30VP-P	
21		TC-2182H	BSC25-04229	1-4-5-8,2-3-7-9-10	118V	12V	29VP-P	+B118V	180V	ABL	130VP-P	30VP-P	
21		FS2189PDN	BSC25-21452	1-2,3-4-5-6	118V	+B118V	7.4V	AFC100VP-P		29VP-P	ABL		
21		TC-2123CH	BSC25-21452	1-2,3-4-5-6	118V	+B118V	7.4V	AFC100VP-P		29VP-P	ABL		
21		Z654-8B	BSC25-21452	1-2,3-4-5-6	118V	+B118V	7.4V	AFC100VP-P		29VP-P	ABL		
21		Z654-8A	BSC25-21452	1-2,3-4-5-6	118V	+B118V	7.4V	AFC100VP-P		29VP-P	ABL		
21		TC-5488PDH	BSC25-23500	1-2-3,4-6-8	112V	180V	+B112V			12V		29VP-P	
21		TC-5460PDH	BSC25-23528	1-2-3,4-6-8	115V	180V	+B115V			12V		29VP-P	
60		PJ60S	BSC27-01581	1-2-3-4-5-8-9,6-10	22V	7V		7V	AFC70VP-P	+B110V	ABL	14V	29VP-P
18		CT-1823HD	BSC24-04146	1-3-4,2-7-10,8-9	115V	AFC90VP-P	+B115V	165V		ABL			29VP-P
18		CT-1832HB	BSC24-04146	1-3-4,2-7-10,8-9	115V	AFC90VP-P	+B115V	165V		ABL			29VP-P
20		CT-2030HD	BSC24-04146	1-3-4,2-7-10,8-9	115V	AFC90VP-P	+B115V	165V		ABL			29VP-P
20		CT-2032HD	BSC24-04146	1-3-4,2-7-10,8-9	115V	AFC90VP-P	+B115V	165V		ABL			29VP-P
14		CT-1415HD	BSC24-06321	1-3-4,2-7-10,8-9	115V	AFC140VP-P	+B115V	165V		ABL			29VP-P
18		CT-1811HD	BSC26-01257	1-5-8,3-6-7-9,10-11	114V		20V		+B115V		6V	165V	110VP-P
25		KV-G25T/RM-870	BSC27-23593	1-2-3,4-5,6-8-9	135.7V	+B135.3V	200V		32VP-P	120VP-P		15V	
25		25T1/RM-870	BSC27-23593	1-2-3,4-5,6-8-9	135.7V	+B135.3V	200V		32VP-P	120VP-P		15V	
25		T25MF1/RM-870	BSC27-23593	1-2-3,4-5,6-8-9	135.7V	+B135.3V	200V		32VP-P	120VP-P		15V	
25		KV25MF1/RM-845P	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
25		KV25MN11/RM-845P	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
25		KV-25MF1/RM857	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
25		KV-25MF11/RM857	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
29		KV29MF1/RM-845P	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
29		KV29MH11/RM-845P	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
29		F29MF1/RM-845P	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
29		KV-F29MH11/RM-845P	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
29		KV-29MH31/RM-845P	BSC27-23612	1-2-3,4-5,6-7-8-9	135V	+B135V	200V		32VP-P	120VP-P		15V	28V
21		KV-621T1/RM870	BSC27-03667	1-2-3,4-5,6-7-8	135V	+B135V	226V		30VP-P		15.8V	33.8V	
21		KV-T21MF/RM870	BSC27-03667	1-2-3,4-5,6-7-8	135V	+B135V	226V		30VP-P		15.8V	33.8V	
50		KP-5020CH	BSC29-01158	1-2	+B110V	110V							
72		KP-7220CH	BSC29-01158	1-2	+B110V	110V							
150		KP-1572	BSC29-01158	1-2	+B110V	110V							
18		Z247-6A	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		TC-1802PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		4710NC2-2	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1802PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1803PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1803PD	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		

10	11	12	HV-	FV-	SV-	FX-
130V			23	3.8-7.7	140-890	
180VP-P			23	4.5-8.1	140-950	
180VP-P			23	4.5-8.1	140-950	
43V			25KV	5.3-9KV	180-1100V	
43V			25KV	5.3-9KV	180-1100V	
			25KV	6.2-9.7KV	210-1100V	
			25KV	6.2-9.7KV	210-1100V	
			25KV	6.2-9.7KV	210-1100V	
			25KV	6.2-9.7KV	210-1100V	
			25KV	5.4-9.1KV	130-1000V	
			25KV	5.2-8.8KV	150-900V	
110V			27KV			
12V			24KV	5.8-8.7KV	280-950V	
12V			24KV	5.8-8.7KV	280-950V	
12V			24KV	5.8-8.7KV	280-950V	
12V			24KV	5.8-8.7KV	280-950V	
14.3V			24KV	3.2-5.6KV	90-840V	
	29VP-P		26KV	10.5KV		
ABL			27KV	4.4-8.2KV		
ABL			27KV	4.4-8.2KV		
ABL			27KV	4.4-8.2KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	3.8-8.1KV		
ABL			27KV	4.1-9.7KV	190-1420V	
ABL			27KV	4.1-9.7KV	190-1420V	
			29KV	7.4KV		
			29KV	7.4KV		
			29KV	7.4KV		
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	

					1	2	3	4	5	6	7	8	9
18		CT-1804PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1805PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1820P	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		4710NC2-2	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		4703DSX	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		4710NCR	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		4710PDSX	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1802PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
22		22AS	BSC25-10069	2-7-8,4-5-6-10		114V		28VP-P	AFC110VP-P		+B114V	180V	ABL
22		CTV-2AS	BSC25-10069	2-7-8,4-5-6-10		114V		28VP-P	AFC110VP-P		+B114V	180V	ABL
14		14PS	BSC22-21114	1-3-5-7,2-4-8-9-10	180V	28VP-P	20VP-P	24V	+B104V	ABL	104V	110VP-P	
14		14DS	BSC22-21114	1-3-5-7,2-4-8-9-10	180V	28VP-P	20VP-P	24V	+B104V	ABL	104V	110VP-P	
14		14UP	BSC22-21114	1-3-5-7,2-4-8-9-10	180V	28VP-P	20VP-P	24V	+B104V	ABL	104V	110VP-P	
14		14PS	BSC22-21114	1-3-5-7,2-4-8-9-10	180V	28VP-P	20VP-P	24V	+B104V	ABL	104V	110VP-P	
14	DOSAI	KV-14X	BSC22-21114	1-3-5-7,2-4-8-9-10	180V	28VP-P	20VP-P	24V	+B104V	ABL	104V	110VP-P	
14		14DS	BSC22-21114	1-3-5-7,2-4-8-9-10	180V	28VP-P	20VP-P	24V	+B104V	ABL	104V	110VP-P	
18		18PS	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
18		18PS	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
18	DOSAI	KV-18X	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
20	DOSAI	KV-20X	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
20		20PAS	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
20		20PS	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
22		DC56-201A	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
14		EC-142T	BSC22-0725A	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
22		HC-227D	BSC26-06378	1-2-4,3-5-7-8-9	197V	112V	AFC150VP-P	+B112V	52.5V	ABL		12V	28VP-P
22		HC-2214R	BSC26-23389	1-2-3,4-5-6-8-10	112V	197V	+B112V		52.5V	14.5V	ABL	28VP-P	
22		BSC23-1804	BSC27-05430	1-2-4,3-5-7-8-9	200V	112V	AFC150VP-P	+B112V	52.5V	ABL		12V	28VP-P
21		HC-2104R-2	BSC25-23479	1-2-3,4-5-6-8-10	108V	197V	+B108V		24V	12V	ABL	28VP-P	
21		CV-2118HP	BSC25-23479	1-2-3,4-5-6-8-10	108V	197V	+B108V		24V	12V	ABL	28VP-P	
28		HC2808BR	BSC29-23522	1-2-10,3-5-6-7-8-9	110V	+B110V	AFC150VP-P		48V	14V	28VP-P	ABL	
21		HC-2108R	BSC26-16292	1-2-3,4-5-6-8-10	112V	200V	+B112V		52.5V	16.5V	ABL	28VP-P	
21		HC-2140R	BSC26-16292	1-2-3,4-5-6-8-10	112V	200V	+B112V		52.5V	16.5V	ABL	28VP-P	
25		HC-2500A	BSC24-23740	1-2-3,4-5-6-8-10	115V	173V	+B115V		26V	15V	ABL	28VP-P	
22		22AX	BSC25-10069	2-7-8,4-5-6-10		114V		28VP-P	AFC110VP-P		+B114V	180V	ABL
22		22DX	BSC25-10069	2-7-8,4-5-6-10		114V		28VP-P	AFC110VP-P		+B114V	180V	ABL
20		20X	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
20		20PAS	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
20		20X	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
20		20PS	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
20		20PAS	BSC24-16010	1-3-5-7,2-4-6-8-9	180V	28VP-P	20VP-P	25V	+B104V	14V	104V		AFC130VP-P
20		DCS-2006ME	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL

10	11	12	HV-	FV-	SV-	FX-
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
16.5V			25KV	4.6-7.2KV	180-790V	
16.5V			25KV	4.6-7.2KV	180-790V	
15V			22KV	3.6-7.8KV	130-640V	
15V			22KV	3.6-7.8KV	130-640V	
15V			22KV	3.6-7.8KV	130-640V	
15V			22KV	3.6-7.8KV	130-640V	
15V			22KV	3.6-7.8KV	130-640V	
15V			22KV	3.6-7.8KV	130-640V	
15V			22KV	3.6-7.8KV	130-640V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
			24KV	3.8-5.8KV	180-520V	
			22KV	3.8-5.8KV	180-520V	
			26KV	3.7-6.6KV	140-760V	
AFC150VP-P			26KV	3.7-7.3KV	140-960V	
			27KV	3.7-6.6KV	140-860V	
AFC150VP-P			25KV	5.4-8.9KV	300-940V	
AFC150VP-P			25KV	5.4-8.9KV	300-940V	
210V			29KV	6.7-10.2KV	140-1050V	
AFC150VP-P			26KV	6-10.2KV	250-1300V	
AFC150VP-P			26KV	6-10.2KV	250-1300V	
AFC150VP-P			24KV	5.8-10KV	140-1090V	
16.5V			25KV	4.6-7.2KV	180-790V	
16.5V			25KV	4.6-7.2KV	180-790V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
ABL			24KV	5-8.6KV	210-810V	
20VP-P			24KV	4.8-7.7KV	280-860V	

					1	2	3	4	5	6	7	8	9
20		C-2006PHN	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		DCS-2050ME	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		C-34P	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		C4902	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		C-2060PHB	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		CPI2006	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		DCS-2006ME	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		DCS-2050ME	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		C-34SP	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		DCS-2006ME	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		DCS-2050ME	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		C-34SP	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		XZ-528ZQ	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		XC-528ZQ	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
20		DCS-2006ME	BSC24-12045	1-4-6-7,2-3-5-8,10-11	104V		25V	+B104V	28VP-P	180V	C425	16.5V	ABL
21		21LR	BSC25-16184	1-6-7-9-10,2-3-4-5	28VP-P	+B110V	40VP-P	180V	+B110V	AFC100VP-P			17.5V
20		FA5133T	BSC25-19601	2-7-8,4-5-6-10-11-12		114V		28VP-P	AFC100VP-P		+B114V	190V	ABL
20		CTO-93	BSC25-17044	1-3,2-4-5-6,8-9	28VP-P	180V		12.5V		25V	ABL	115V	+B115V
20		20CTO6050/93Z	BSC25-17044	1-3,2-4-5-6,8-9	28VP-P	180V		12.5V		25V	ABL	115V	+B115V
20		20CTO6050/93T	BSC25-17044	1-3,2-4-5-6,8-9	28VP-P	180V		12.5V		25V	ABL	115V	+B115V
20		20CTO6050/93S	BSC25-17044	1-3,2-4-5-6,8-9	28VP-P	180V		12.5V		25V	ABL	115V	+B115V
14		14CT2020/50S	BSC22-17213	1-3-4-5-9,2-8,6-10	60VP-P	28VP-P	26V	180V	12V	+B125V	ABL		
25		37612/V8944	BSC23-17315	1-4,2-5,3-10,6-8,9-11,12-13	200V	32VP-P	12V			33V	ABL		+B140V
18		18C-63666/96S	BSC08-17357	1-2,3-4,5-6-7,8-9,10-11-12	155V	+B155V		49V	20VP-P		20VP-P	52VP-P	
29	JVC	JVC AV-G29MX	BSC24-27735	1-2-8,3-4-5-6-7-10	115V	+B115V	5.7V	31V	14V	AFC50VP-P	28VP-P	180V	ABL
21		2123	BSC26-03336	1-2-4,3-6-8-9-10	200V	106V	AFC 180VP-P	+B 106V		B2 43V	ABL		B1 13V
17		44C1	BSC22-23380	1-2-3,4-5-6-8	115V	180V	+B 115V		B2 26V	B1 12V	ABL	30VP-P	
19		49C1	BSC22-23380	1-2-3,4-5-6-8	115V	180V	+B 115V		B2 26V	B1 12V	ABL	30VP-P	
14		4C3701-1	BSC21-10261	5-7-9,2-3,8-10	ABL	B 12.5V			107V		+B 107V		180V
20		51-1A	BSC25-08286	2-4-10-11,3-5-6-7-9		210VP-P	28VP-P	175V	B15V	AFC 300VP-P		ABL	21V
28		C71J-1	BSC29-23376	1-2-4,3-6-8-9-10	200V	129V	AFC 170VP-P	+B 129V		B2 24V	ABL		B1 12V
21		CC542	BSC23-03394	1-2-3,4-5-6-7-9	112V	+B 112V	AFC 170VP-P	B1 14.3V	B2 24.8V	30VP-P		ABL	AFC 120VP-P
14		CD37-1A	BSC21-10261	5-7-9,2-3,8-10	ABL	B 12.5V			107V		+B 107V		180V
14		CD37-2	BSC24-01434	1-2-3-5,4-7-8-9-10	113V	180V	+B 114V		170VP-P	ABL	B1 16.5V	B2 42V	30VP-P
20		CF93222 KFS-6067	BSC26-04369	1-2-4-9,3-5-7-8-10	111V	183V	AFC 200VP-P	+B 111V	B1 16.7V	ABL	B2 28V		183V
14		7190HZ	BSC21-20162	1-3-6 4-5 7-8-9	24V	ABL	5.3V		28VP-P		+B110V	180V	110V
14	JVC	JVC7190S/N	BSC21-20162	1-3-6 4-5 7-8-9	24V	ABL	5.3V		28VP-P		+B110V	180V	110V
22	JVC	JVC7885JM	BSC21-20162	1-3-6 4-5 7-8-9	24V	ABL	5.3V		28VP-P		+B110V	180V	110V
14		7255TM	BSC22-01119	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	13V	23.8V	28VP-P	32V			12V
14		7255D	BSC22-01119	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	13V	23.8V	28VP-P	32V			12V
14		7255JM	BSC22-01119	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	13V	23.8V	28VP-P	32V			12V

10	11	12	HV-	FV-	SV-	FX-
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
20VP-P			24KV	4.8-7.7KV	280-860V	
25V	ABL		25KV	6.1-9.5KV	320-1100V	
19.8V	28V	7.2VP-P	25KV	5-9.6KV	150-1140V	
			25KV	9KV		
			25KV	9KV		
			25KV	9KV		
			25KV	9KV		
125V			22KV	8.1KV		
	140V	AFC140VP-P, 13	23KV	5.4-8.4KV	410-850V	
	28VP-P	, 13-10V, 14-27	8KV			
			24KV	4.9-7.7KV	210-890V	
29VP-P			26KV	6.2-9.8KV	190-980V	
			22KV	5-9.1KV	150-950V	
			22KV	5-9.1KV	150-950V	
28VP-P			21KV	4.5-6.3KV	220-1100V	
+B 112V	112V		25KV	3.7-6.9KV	100-1000V	
28VP-P			29KV	4.7-8.8KV	180-970V	
			23KV	5.6-9.4KV	130-950V	
28VP-P			21KV	4.5-6.3KV	220-1100V	
AFC 160VP-P			24KV	7.2KV		
32VP-P			26KV	5.8-9.3KV	190-960V	
			21KV	8.7KV		
			21KV	8.7KV		
			21KV	8.7KV		
180V	110V	40VP-P	22KV	5.2-7KV	180-760V	
180V	110V	40VP-P	22KV	5.2-7KV	180-760V	
180V	110V	40VP-P	22KV	5.2-7KV	180-760V	

					1	2	3	4	5	6	7	8	9
14	JVC	JVC7245HC	BSC22-01119	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	13V	23.8V	28VP-P	32V			12V
14	JVC	JVC7255JM	BSC22-01119	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	13V	23.8V	28VP-P	32V			12V
14	JVC	JVC VM-14PSN (P)	BSC22-13203	1-3,4-5,6-7-8	12V	ABL			28VP-P	+B115V	180V	115V	
14		C-37-4	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		C-37-6	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		C-37-6B	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		Z237-1	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		237-1A	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		836	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		C37G-1	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		Z237-1A	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		7185SY	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		7196SY	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		7195SY	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		CS37-V2A	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		CS37-2	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		7185XA	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		C37-844	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		37SYC-2	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		4C3702-1	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		SGC-3702	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		SGC-3702-1	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		SC-37A	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		14C-1	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		14C-2	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		37XC1 (B)	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		37XC1 (B)	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		37CD3	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		CS37-V1	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
22		DC56	BSC22-20155	1-3,4-5,6-7-10	17V	ABL	D504		28VP-P	+B110V	180V	110V	
14		837	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		837-1	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		838	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		HC37-2	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		JTC-371	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		JTC-371A	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		JTC-513-2	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		37CD7	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		37CD7A	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		CSC-1535	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14	JVC	JVC7175J	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	

10	11	12	HV-	FV-	SV-	FX-
180V	110V	40VP-P	22KV	5.2-7KV	180-760V	
180V	110V	40VP-P	22KV	5.2-7KV	180-760V	
			22KV	2.3-5.6KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		

					1	2	3	4	5	6	7	8	9
14	JVC	JVC7175JM	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14	JVC	JVC7185JM	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		7175	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
		2435071	BSC26-23671	1-2,3-4-5-6-8-9-10	90V	+B90	AFC90VP-P	4V	20.5V	11.2V	ABL	29VP-P	
21		C-218D6C	BSC25-03189	1-2-3,4-6-7-9-10	113V	+B112V	190V			27V	12V	ABL	30VP-P
21		C-219D5C	BSC25-03189	1-2-3,4-6-7-9-10	113V	+B112V	190V			27V	12V	ABL	30VP-P
21		C-219RC9	BSC25-03189	1-2-3,4-6-7-9-10	113V	+B112V	190V			27V	12V	ABL	30VP-P
28		289X6M	BSC30-16242	1-2-3,4-6-7-9-10	145V	+B145V	190V			27V	12V	ABL	28VP-P
28		C-2806XH	BSC28-23384	1-2-3,4-5-6-7-9-10	145V	+B145V	180V		-27V	27V	14V	ABL	30VP-P
21		C-2128KTV	BSC25-03395	1-2-3,4-5-6-8-9	113V	+B112V	180V		13V	27V		30VP-P	AFC140VP-P
21		C-2125	BSC25-03395	1-2-3,4-5-6-8-9	113V	+B112V	180V		13V	27V		30VP-P	AFC140VP-P
14		KQ37-39	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		37-39-1	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		S373	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		S375	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP3904	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3904	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3904M	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3905	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3905A	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3905-00	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3905H	BSC22-0974A(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		TC-482D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-484QD	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		DB37C1	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		DB37C2	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		DB37C3	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		S372	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		37CD340QD	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		37CD340QDX	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		37CD445QDX	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-484QD	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
16		TC-684D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
16		TC-684D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TS37C3	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		DS37C-1	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
25		TC-25GF12G	BSC31-23596	1-2-7,4-5-6	140V	+B140v			30VP-P	30V	200V		
33	M16MV3	TC-33V32HN	BSC27-23600	1-2,3-4-5,6-7-10	120V	+B120V	27.5V	13.5V		32VP-P		ABL	
29		TC-29VIR	BSC29-23614	1-2,3-4-5,6-7-10	112V	+B112V	24.5V	11.5V		29VP-P		ABL	
21		TC-2140S	BSC30-23635	1-2,4-5-7,6-8-9	9V	+B90V		25V	32VP-P	180V			16.5V
21		TC-2150R	BSC30-23635	1-2,4-5-7,6-8-9	9V	+B90V		25V	32VP-P	180V			16.5V

10	11	12	HV-	FV-	SV-	FX-
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
190V			27KV	6.7-10.3KV	190-770V	
AFC160VP-P			25KV	4.9-8.4KV	150-870V	
AFC160VP-P			25KV	4.9-8.4KV	150-870V	
AFC160VP-P			25KV	4.9-8.4KV	150-870V	
AFC150VP-P			30KV	8.5-12.1KV	240-1050V	
AFC150VP-P			28KV	6.2-10.3KV	220-1080V	
			25KV	5.7-9.9KV	170-950KV	
			25KV	5.7-9.9KV	170-950KV	
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
ABL			31KV	6.7-10.5KV	200-1120V	
194V			27KV	5.4-9.3KV	150-1030V	
194V			29KV	6.2-10.3KV	210-1120V	
ABL			29KV	6.2-10.3KV	140-1100V	
ABL			29KV	6.2-10.3KV	140-1100V	

					1	2	3	4	5	6	7	8	9
21		TC-2150RS	BSC30-23635	1-2,4-5-7,6-8-9	9V	+B90V		25V	32VP-P	180V			16.5V
18		DB47C3-2	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		DB47C5-1	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC817D/T	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TS47C3	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TS47C4	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		CS47C4	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		C47S1	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		C47S2A	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		47CJ1	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		47CJ2	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		47CB840G/A	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		47DS47C-3A	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-818QD	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		47CD840QD	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		47CD400P	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-810DH	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-816	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-817	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		51CD5	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		CJ51AV	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		SFC51-4	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		JTC513	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		HC51-3	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		HC51-5	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		JTC513B	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		Z247-5A	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		Z247-5B	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		8306	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		8306-3	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		JTC474-3	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		C-1431ZT	BSC22-01050	1-2-3,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
16		C-1631Z	BSC22-01050	1-2-3,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		C-182D5C	BSC24-03081	1-2-3-5,4-6-7-9-10	114V	+B111	180V			ABL	16.5V	ABL	28VP-P
18		C-187D5C3	BSC24-03081	1-2-3-5,4-6-7-9-10	114V	+B111	180V			ABL	16.5V	ABL	28VP-P
20		C-202D5C	BSC24-03081	1-2-3-5,4-6-7-9-10	114V	+B111	180V			ABL	16.5V	ABL	28VP-P
20		C-202R5C	BSC24-03081	1-2-3-5,4-6-7-9-10	114V	+B111	180V			ABL	16.5V	ABL	28VP-P
18		SC-473	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		AH4724C-1	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		RS88P	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5903H	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		

10	11	12	HV-	FV-	SV-	FX-
ABL			29KV	6.2-10.3KV	140-1100V	
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
AFC150VP-P			22KV			8.6KV
AFC150VP-P			22KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		

					1	2	3	4	5	6	7	8	9
18		CTP-5903J	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5904P	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5904W	BSC24-35J09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5904JH	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5904SZ	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5905M	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5905GS	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5905GS-0	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5906	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5906I	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5906J	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5920	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-59208	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5921GS	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		C47J-3	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		C47J-3A	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		C47J-3B	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		C47J-3C	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		46CJ2	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		8306-3Y	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		CFC47-2	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		CFC47-3	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		CFC47-5	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		CFC47-5AR	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		CJ47-1	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		Z247-5C	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
19		Z249-1A	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		KG-5186	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		NIC-50	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		DYJ51-	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		HC51-1A	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		CTP-5928	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5928M	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5934	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5935J	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5938A	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5941	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5942	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5946	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-59438	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		KQ47-39-5	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		

10	11	12	HV-	FV-	SV-	FX-
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		

					1	2	3	4	5	6	7	8	9
19		KQ49-39-1	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-69500-00	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-69510-00	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		AH5161	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18	JVC	JVC7695	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C47-1	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C47-2	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C47-3	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C47-4	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C47-7	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C47-1	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
20		C51-1	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
20		C51-1	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
20		C51-1	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SC-C51D-CT	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SC-C51D-HS-A	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
20		C513	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
20		SDC51-4	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		CS47-2AV	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		CS47-6	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		7695VPM	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C47G-1	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		7695VPJM	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SDC47-1C	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SDC47-2	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SDC47-4	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SDC47-10	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SDC47-10M	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		7685SY	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		7695PSY	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C471A	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		7697VGSP	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		7698VPJM	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		SDC47-4M	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		SGC4703	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		SGC4703D	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		SC-C47E	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		C47-2B	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		C47-3	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		7697PCS	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		7698VPGS	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V

10	11	12	HV-	FV-	SV-	FX-
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			

					1	2	3	4	5	6	7	8	9
22		839-2	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18	JVC	JVC7697	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18	JVC	JVC7669B	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18	JVC	JVC8305	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
20		CS51E-5	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
20		CS51E-5AV	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
20		CS51E-6-R	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
20		SDCY51-1	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
20		SDCY51-2	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
21		SDC54-1	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
21		SDC54-2	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		SC47E-6A-R	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		CS47-2	BSC24-13147D	1-3,2-4-5,7-8-9	17V	12V			28VP-P	ABL	+B110V	165V	110V
18		C47G-2PS	BSC24-13147E	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		8305-2D1	BSC24-13147E	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		8305-2PS	BSC24-13147E	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		CS47E-6-AV	BSC24-13147E	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		C472	BSC24-13147E	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
22		Z656-2A	BSC24-13147E	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
22		Z656-3A	BSC24-13147E	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		8313	BSC24-13147E	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
21		C2161	BSC25-13147F	1-2-6,3-4-7-8-9	180V	113V	340VP-P	44V	ABL	+B112V		12V	28VP-P
21		2163	BSC25-13147F	1-2-6,3-4-7-8-9	180V	113V	340VP-P	44V	ABL	+B112V		12V	28VP-P
21		CK53A	BSC25-13147F	1-2-6,3-4-7-8-9	180V	113V	340VP-P	44V	ABL	+B112V		12V	28VP-P
21		2162	BSC25-13147F	1-2-6,3-4-7-8-9	180V	113V	340VP-P	44V	ABL	+B112V		12V	28VP-P
21		CK53B2	BSC25-13147F	1-2-6,3-4-7-8-9	180V	113V	340VP-P	44V	ABL	+B112V		12V	28VP-P
22		CK56B2	BSC25-13147F	1-2-6,3-4-7-8-9	180V	113V	340VP-P	44V	ABL	+B112V		12V	28VP-P
18		7696VGSF	BSC24-01200	2-10,3-6-8,4-5-7-9	ABL	+B110V	12V	28VP-P	61V			16V	190V
18		7696SY	BSC24-01200	2-10,3-6-8,4-5-7-9	ABL	+B110V	12V	28VP-P	61V			16V	190V
18		C47-2	BSC24-01200	2-10,3-6-8,4-5-7-9	ABL	+B110V	12V	28VP-P	61V			16V	190V
18	JVC	JVC7696	BSC24-01200	2-10,3-6-8,4-5-7-9	ABL	+B110V	12V	28VP-P	61V			16V	190V
20		AH5151C/R	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		C51-851	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		KQ51-39	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		KQ51-39-1	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CSC1547	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		CSL-1547	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		C47J1	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		C47J-2	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		46CJ1	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		47CJ1	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P

10	11	12	HV-	FV-	SV-	FX-
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			23KV			
			24KV			
			24KV			
			24KV			
			24KV			
			24KV			
			24KV			
			24KV			
			24KV			
			24KV			
			24KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
110V			24KV			
110V			24KV			
110V			24KV			
110V			24KV			
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV

					1	2	3	4	5	6	7	8	9
18		C1831Z	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		HC47-2	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18	888	888ND-8601	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		47CD4	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		JTC471-2A	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		JTC471-2	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		JTC471-2F	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		JTC471-Z	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		HC47-1	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		HC47-2	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		HC47-4	BSC24-01113 (X56)	1-2-3-5,4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
20		Z251-2A	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		JTC511	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
21		KG-5401	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
21		CT53FS	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		JTC474-3A	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		HC37-3	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		C37J-3	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		C37J-3A	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		KTC37J-1	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		KTC37J-2	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		HC47-5	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		47-6	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		51CJ2	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		C51-3B	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		CFC51-3B	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		HC51-1	BSC24-0238A (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
14		CTP-3905G	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3905Z	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3905GK	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-390GS	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3933	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3934	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
14		CTP-3964	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
16		CTP-4903	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
16		CTP-4903JH	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
16		CTP-4905	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
16		CTP-4933	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
16		CTP-4935	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
16		CTP-4940	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
16		CTP-4940-00	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		

10	11	12	HV-	FV-	SV-	FX-
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P			22KV	4-6KV	250-860V	
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=210-790V	22KV	4.6-6.8KV		

					1	2	3	4	5	6	7	8	9
14		CSD371	BSC22-0974A (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		KQ51-39-3	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		47DC1	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		SC-851	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		TC-819	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-819	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-866	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-877	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-848KD	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-848KDH	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC462-1ED	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-201D	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-216	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-217	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-218	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-219	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-818D	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-47C3A	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-47C3C	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-47C3	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-47C4	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
18		TC-47C5	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-210D	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-217P	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-218	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC-218D	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		51C2	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		51C4	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		51C5	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		51C6	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		51C7	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		51CD1	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TS51C6	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC511KD	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		TC511KDH	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		219KD	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		C51S	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		51C-2	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
20		CJ46	BSC24-05136 (M11)	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V		ABL	
16		TC-688	BSC24-06046 (M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
16		TC-688H	BSC24-06046 (M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	

10	11	12	HV-	FV-	SV-	FX-
28VP-P		SV=210-790V	22KV	4.6-6.8KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
			24KV	4-6.4KV		
R557			24KV	6.4-8.5KV	380-920V	
R557			24KV	6.4-8.5KV	380-920V	

					1	2	3	4	5	6	7	8	9
16		TC-688DHN	BSC24-06046 (M12)	1-2-3-4, 6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
16		TC-830D	BSC24-06046 (M12)	1-2-3-4, 6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
18		8303	BSC24-01113 (X56)	1-2-3-5, 4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		C472	BSC24-01113 (X56)	1-2-3-5, 4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		STC46-2	BSC24-01113 (X56)	1-2-3-5, 4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		4C4702	BSC24-01113 (X56)	1-2-3-5, 4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
18		C-2031ZD	BSC24-01113 (X56)	1-2-3-5, 4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
20		HC51HC51-2	BSC24-01113 (X56)	1-2-3-5, 4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
21		TCL9425	BSC24-23621	1-2-3, 4-6-7-9-10	135V	+B135V	176V			27V	13.5	ABL	28VP-P
29		TH-29AIS	BSC29-24648	1-2-3, 4-5-6-8	120V	+B120V	180V	30VP-P	17.5	28V	ABL		
32		TC-32WG25G	BSC30-27688	1-2-8, 3-4-5-7	135V	+B135V	16.9V			36VP-P		180VP-P	
29		TC-29GF-32	BSC24-23753	1-2-3, 4-5-6-7-9-10	108V	+B108V	180V			120VP-P	22.5V	37.8V	ABL
20		CTP-216D	BSC24-01177	1-2, 3-4-6, 5-8, 11-12	29VP-P		180V	+B110V		110V		ABL	
25		C25D8A	BSC27-23618	1-2, 3-5-6-8-9-10	115V	+B115	AFC90VP-P			28.2V	16.5	ABL	31VP-P
16		CAP-168D	BSC22-10109 (NP8)	1-2-4, 3-7-10, 11-12			+B108	12V	ABL		108V		
14		HPC-450D	BSC22-10109 (NP8)	1-2-4, 3-7-10, 11-12			+B108	12V	ABL		108V		
14		HPC-450G	BSC22-10109 (NP8)	1-2-4, 3-7-10, 11-12			+B108	12V	ABL		108V		
14		HPC-450AV	BSC22-10109 (NP8)	1-2-4, 3-7-10, 11-12			+B108	12V	ABL		108V		
14		HFC-451	BSC22-08103 (NP8)	1-2, 3-5-8-9, 6-7-10	28VP-P		12V	ABL	29VP-P	+B110	180V	52V	
14		HFC-161	BSC23-08102 (NP8)	1-4-5, 2-3-6-8, 9-10	110V		52V	180V	+B110V	29VP-P	ABL	14V	
14		CAP-161D	BSC23-08102 (NP8)	1-4-5, 2-3-6-8, 9-10	110V		52V	180V	+B110V	29VP-P	ABL	14V	
14		CAP-1468	BSC23-08130	1-4-5, 6-10, 8-9	107V			190V	+B107V	29VP-P	ABL	D703	12V
16		CTP-169D	BSC23-08130	1-4-5, 6-10, 8-9	107V			190V	+B107V	29VP-P	ABL	D703	12V
14		C-1411DF	BSC22-04018	2-9, 3-4-6-7-10, 5-8	ABL	20VP-P	AFC140VP-P	58V	110V		29VP-P	+B110	
14		C-1411DK	BSC22-04018	2-9, 3-4-6-7-10, 5-8	ABL	20VP-P	AFC140VP-P	58V	110V		29VP-P	+B110	
14		C-1411SK	BSC22-04018	2-9, 3-4-6-7-10, 5-8	ABL	20VP-P	AFC140VP-P	58V	110V		29VP-P	+B110	
14		C-3700NS	BSC22-12013	1-2-5-6-7-10, 3-4-8, 11-12	14V	24V	115V	+B115	-30V	AFC165VP-P		150V	ABL
14		C3701	BSC22-12013	1-2-5-6-7-10, 3-4-8, 11-12	14V	24V	115V	+B115	-30V	AFC165VP-P		150V	ABL
14		CT-1410DK	BSC22-08219	1-2, 3-4-6-8, 5-9-10			29VP-P	15V	180V		ABL	160VP-P	+B112V
21		21FN1	BSC22-23570	1-2-9, 3-4-6-7-9	115V	+B115	27V	11V		AFV140V		29VP-P	180V
14		C-1430MK	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		3617	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		CD37-3	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		37C3-3	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		4C3704	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		C-1403DK	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		C-1403CK	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		C-1404CK	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		C-1404DK	BSC22-1168A	1-2-4, 2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		CD51-2	BSC24-01113 (X56)	1-2-3-5, 4-7-8-9-10	120V	190V	+B114V			ABL	16.5V	47V	28VP-P
25		2506	BSC27-23583	1-2-3, 4-5-6-7-9-10	130V	+B130V	190V			24.5V	27V	14V	ABL

10	11	12	HV-	FV-	SV-	FX-
R557			24KV	6.4-8.5KV	380-920V	
R557			24KV	6.4-8.5KV	380-920V	
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC150VP-P			24KV			8.6KV
AFC00VP-P			24KV	4.7-8.3KV	110-850V	
			29KV	5.7-9.9KV	170-950V	
ABL			30KV	7.3-10.2KV	160-1240V	
50VP-P			24KV	4.5-9.2KV	90-860V	
	CR705	12V	22KV			6.4KV
210V			22KV	5.8-10KV	160-1050V	
180V		31VP-P	22KV	3.5-6.2KV		
180V		31VP-P	22KV	3.5-6.2KV		
180V		31VP-P	22KV	3.5-6.2KV		
180V		31VP-P	22KV	3.5-6.2KV		
110V			22KV	5.8-8.2KV	220-840V	
28VP-P			23KV	5.8-8.2KV	220-840V	
28VP-P			23KV	5.8-8.2KV	220-840V	
			23KV	5.8-8.2KV	220-840V	
			23KV	5.8-8.2KV	220-840V	
14.5V			22KV	4.4-7.2KV	420-860V	
14.5V			22KV	4.4-7.2KV	420-860V	
14.5V			22KV	4.4-7.2KV	420-860V	
29VP-P	20VP-P		22KV	5-7KV	200-600V	
29VP-P	20VP-P		22KV	5-7KV	200-600V	
112V			22KV	5-8KV	170-860V	
ABL			22KV	4.6-8.5KV	100-890V	
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
AFC150VP-P			24KV			8.6KV
AFC150VP-P			27KV	6-9.8KV	110-1200V	

					1	2	3	4	5	6	7	8	9
25		TC-M25	BSC27-23583	1-2-3,4-5-6-7-9-10	130V	+B130V	190V		24.5V	27V	14V	ABL	30VP-P
29		2929KTP-2	BSC33-23641	1-2-3,4-5-6-7-9-10	125V	+B125V	180V		-27V	27V	12V	ABL	30VP-P
18		C1893XH	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		HC47-3	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		HC4708	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		HC47GJ2	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		HC47-3	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		Z247-5B1	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		Z247-5C	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		JTC472	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		JTC476	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		C473-1	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		47CD4A	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		47CD4R	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
18		KG4782	BSC24-02038 (L85)	1-2-3-5,4-6-10	112V	+B112V	180V		30VP-P	12V		ABL	
20		C-202E5C	BSC24-03081	1-2-3-5,4-6-7-9-10	114V	+B111	180V			ABL	16.5V	ABL	28VP-P
18		C-181E3C	BSC25-04107	1-2-3-5,4-7-8-9-10	114V	175V	+B114V			ABL	12V	47V	28VP-P
18		C-181R3C	BSC25-04107	1-2-3-5,4-7-8-9-10	114V	175V	+B114V			ABL	12V	47V	28VP-P
20		C-201E3C	BSC25-04107	1-2-3-5,4-7-8-9-10	114V	175V	+B114V			ABL	12V	47V	28VP-P
18		C-1821E	BSC24-01087	1-2-3-4-5-8,6-9-10	42V	16.5V		28VP-P	160VP-P	+B112V	ABL		170V
20		C-2021E	BSC24-01087	1-2-3-4-5-8,6-9-10	42V	16.5V		28VP-P	160VP-P	+B112V	ABL		170V
20		C-2021Z	BSC24-01087	1-2-3-4-5-8,6-9-10	42V	16.5V		28VP-P	160VP-P	+B112V	ABL		170V
20		C-2021ZB	BSC24-01087	1-2-3-4-5-8,6-9-10	42V	16.5V		28VP-P	160VP-P	+B112V	ABL		170V
18		C-187D5CK	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
18		C-187R7C	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
18		C-187D7C	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
20		C-207D5C	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
20		C-207D5CK	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
20		C-207D5C3	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
20		C-207E5C	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
20		C-207D9C	BSC25-03191	1-2-3-5,4-6-7-9-10	114V	+B111	180V			24V	12V	ABL	28VP-P
21		C-218C2	BSC25-03189	1-2-3,4-6-7-9-10	113V	+B112V	190V			27V	12V	ABL	30VP-P
20		CTP-6904W-02	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904W	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904T	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904C	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904RD	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		KQ51-39-4	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		DB3626	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		51C8	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		

10	11	12	HV-	FV-	SV-	FX-
AFC150VP-P			27KV	6-9.8KV	110-1200V	
AFC170VP-P			33KV	6-9.8KV	110-1200V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
28VP-P			24KV	5.7-7.8KV	250-860V	
AFC150VP-P			24KV			8.6KV
AFC150VP-P			25KV	5.5-8.5KV	280-870V	
AFC150VP-P			25KV	5.5-8.5KV	280-870V	
AFC150VP-P			25KV	5.5-8.5KV	280-870V	
112V			24KV			7.8KV
112V			24KV			7.8KV
112V			24KV			7.8KV
112V			24KV			7.8KV
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
AFC150VP-P			25KV	4.4-7.7KV	120-860V	
AFC160VP-P			25KV	4.9-8.4KV	150-870V	
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		

					1	2	3	4	5	6	7	8	9
20		C51G-1	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		C51-1	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		C51-1	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		RS89P	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		KQ51-39-5	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		KQ51-39-7	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		C51-1	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6925	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904CM	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904GD	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904G	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		KQ47-39	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		47DC1-2	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-5903	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6953A-00	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6953W	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6970GS-0	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6940	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6938W-00	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6935KA	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6935KB	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6935KS	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6935	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6934	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6933	BSC24-09074 (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
19		C49MZ	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		C54MZ1	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		KQ54-39	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		54-39-5	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		C53G-2	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		KQ54-39-6	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		S541	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		AH5353C/R	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		CSD541B	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		C53-871	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
21		C54-871B	BSC25-0974D (83P)	1-7,5-6,8-9-10	+B115V			ABL		15V	118V		
18		S471	BSC25-0974B (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		S472	BSC25-0974B (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CSD471	BSC25-0974B (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		SC471	BSC25-0974B (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		SC851	BSC25-0974B (83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		

10	11	12	HV-	FV-	SV-	FX-
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	24KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=340-1020V	25KV	6.5-9.3KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		

					1	2	3	4	5	6	7	8	9
18		471	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5903H-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5903M-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5903JH-0	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
16		TC-4830DD	BSC24-06046(M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
18		TC-1830DHN	BSC24-06046(M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
20		TC-230D	BSC24-06046(M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
20		TC-2030D	BSC24-06046(M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
20		TC-2060D	BSC24-06046(M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
20		TC-4230DD	BSC24-06046(M12)	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V	ABL	25V		31VP-P	
18		TC-840D	BSC24-06134	1-2-3-4,6-8-9	180V	42VP-P	110V	+B113V		25V		29VP-P	ABL
18(M15L)		TC-688	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
18(M15L)		TC-688DH	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
18(M15L)		TC-688DHN	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
18(M15L)		TC-1830DHN	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
20(M15L)		TC-230D	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
20(M15L)		TC-2030D	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
20(M15L)		TC-2060D	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
18(M15L)		TC-830D	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
18(M15L)		TC-4830DD	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
18		CTP-5904P-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5904W-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5904SZ-0	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5903-I	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5905M-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5904JH-0	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-59058P-0	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5920-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5938A-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-59438-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
18		CTP-5956J-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904C-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904W-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904T-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6904SZ-0	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6939WV-0	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6938W	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6938WV-0	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		S511	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		S512	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		S51-851B	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		

10	11	12	HV-	FV-	SV-	FX-
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
R557			24KV	6.4-8.5KV	380-920V	
R557			24KV	6.4-8.5KV	380-920V	
R557			24KV	6.4-8.5KV	380-920V	
R557			24KV	6.4-8.5KV	380-920V	
R557			24KV	6.4-8.5KV	380-920V	
R557			24KV	6.4-8.5KV	380-920V	
	D502		25KV	6.4-8.5KV	380-1100V	
	D502		25KV	6.4-8.5KV	380-1100V	
	D502		25KV	6.4-8.5KV	380-1100V	
	D502		25KV	6.4-8.5KV	380-1100V	
	D502		25KV	6.4-8.5KV	380-1100V	
	D502		25KV	6.4-8.5KV	380-1100V	
	D502		25KV	6.4-8.5KV	380-1100V	
	D502		25KV	6.4-8.5KV	380-1100V	
	D502		25KV	6.4-8.5KV	380-1100V	
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		

					1	2	3	4	5	6	7	8	9
20		CSD511	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
20		CTP-6934-00	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
22		AH5622C	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
22		SC-512	BSC25-0974B(83P)	1-7,5-6,8-9-10	+B130V			ABL	D481	15V	130V		
15		CTP-3915	BSC24-01089(80P)	1-2-4-10,5-7-8	28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
18		CTP-5508	BSC24-01089(80P)	1-2-4-10,5-7-8	28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
20		CTP-6518	BSC24-01089(80P)	1-2-4-10,5-7-8	28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
20		CTP-6518N	BSC24-01089(80P)	1-2-4-10,5-7-8	28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
20		CTP-6916	BSC24-01089(80P)	1-2-4-10,5-7-8	28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
20		CTP-6917F	BSC24-01089(80P)	1-2-4-10,5-7-8	28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
20		CTP-6918	BSC24-01089(80P)	1-2-4-10,5-7-8	28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
20		CTP-6921	BSC24-01089(80P)	1-2-4-10,5-7-8	28VP-P	80V		+B110V	40V	D460	15V	C465	ABL
14		CTP-3513R/G	BSC22-0135A(79P)	1-2,4-5-6,7-8	+B220V	210V	ABL	3S	40V	18V		28V P-P	
14		CTP-3920	BSC22-0135A(79P)	1-2,4-5-6,7-8	+B220V	210V	ABL	3S	40V	18V		28V P-P	
14		CTP-3940	BSC22-0135A(79P)	1-2,4-5-6,7-8	+B220V	210V	ABL	3S	40V	18V		28V P-P	
14		CTP-3950	BSC22-0135A(79P)	1-2,4-5-6,7-8	+B220V	210V	ABL	3S	40V	18V		28V P-P	
20 (M15L)		TC-4230DD	BSC25-03106(M15)	1-2-7,3-5-6-9,4-10	113V	+B113		9VP-P	25V	31VP-P	180V	ABL	-30V
21		TC-2163DHR	BSC24-06193	1-3-5-6-8,2-4-9	-30V	113V		+B113		25V	ABL	29VP-P	180V
21		TC-2163DDR	BSC24-06193	1-3-5-6-8,2-4-9	-30V	113V		+B113		25V	ABL	29VP-P	180V
21		TC-2163DR	BSC24-06193	1-3-5-6-8,2-4-9	-30V	113V		+B113		25V	ABL	29VP-P	180V
21		TC-2163D	BSC24-06193	1-3-5-6-8,2-4-9	-30V	113V		+B113		25V	ABL	29VP-P	180V
21		TC-2163	BSC24-06193	1-3-5-6-8,2-4-9	-30V	113V		+B113		25V	ABL	29VP-P	180V
22		22"	BSC25-07235	1-2-3-4,6-8-9	200V	42VP-P	113V	+B113V	ABL	56V		29VP-P	
14		TH14-N8K	BSC22-06204	1-2-6-8,3-4-5	28VP-P	25V	115V	+B115V	170V	20V	ABL		
14		TH14-N8M	BSC22-06204	1-2-6-8,3-4-5	28VP-P	25V	115V	+B115V	170V	20V	ABL		
20		TC 275D	BSC22-01280	- - ,									
18		TC 875D	BSC22-01280	- - ,									
25		TC D25C	BSC28-23432(M15)	1-2-7,3-5-6-9,4-10	110V	+B110		9VP-P	25V	31VP-P	207V	ABL	48VP-P
29		TC-29GF15R	BSC32-23509(M17)	1-2-7,3-4-5	140V	+B140	25V		34VP-P		207V	ABL	
29		154-162A	BSC29-23553(MX1)	1-2,3-5-6-7	140V	+B140			25V	34VP-P	200V	ABL	
29		TC-29V30R	BSC29-23556	1-2,3-4-5,6-7-10	140V	+B140	30V	8V		28VP-P		ABL	
29		TLF14462B	BSC29-23556	1-2,3-4-5,6-7-10	140V	+B140	30V	8V		28VP-P		ABL	
21		TCL9325	BSC24-23621	1-2-3,4-6-7-9-10	135V	+B135V	176V			27V	13.5	ABL	28VP-P
20		CTP-6232	BSC24-01035(79P)	1-2,4-5-6,7-8	+B220V	210V	ABL	3S	40V	18V		28V P-P	
20		CTP-6920	BSC24-01035(79P)	1-2,4-5-6,7-8	+B220V	210V	ABL	3S	40V	18V		28V P-P	
20		CTP-6913	BSC24-01035(79P)	1-2,4-5-6,7-8	+B220V	210V	ABL	3S	40V	18V		28V P-P	
20		CTP-5507	BSC24-01035(79P)	1-2,4-5-6,7-8	+B220V	210V	ABL	3S	40V	18V		28V P-P	
20		CEP-6955-05	BSC25-16236	1-3,4-5-8-10	130V			+B130V		33V		ABL	28V P-P
20		CTP-6956DK-5	BSC25-16236	1-3,4-5-8-10	130V			+B130V		33V		ABL	28V P-P
21		CKP-2165D-00	BSC25-16236	1-3,4-5-8-10	130V			+B130V		33V		ABL	28V P-P
21		CKP2166DK-55	BSC25-16236	1-3,4-5-8-10	130V			+B130V		33V		ABL	28V P-P

10	11	12	HV-	FV-	SV-	FX-
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
28VP-P		SV=190-820V	24KV	4-6.8KV		
180V			24KV			11KV
180V			24KV			11KV
180V			24KV			11KV
180V			24KV			11KV
180V			24KV			11KV
180V			24KV			11KV
180V			24KV			11KV
		(0=3V)	22KV			11KV
		(0=3V)	22KV			11KV
		(0=3V)	22KV			11KV
		(0=3V)	22KV			11KV
	D502		25KV	6.4-8.5KV	380-1100V	
			24KV	5.2-7.2KV	380-980V	
			24KV	5.2-7.2KV	380-980V	
			24KV	5.2-7.2KV	380-980V	
			24KV	5.2-7.2KV	380-980V	
			24KV	5.2-7.2KV	380-980V	
			25KV	3.6-6.4KV	130-760V	
			22KV	3.4-6.8V	230-780V	
			22KV	3.4-6.8V	230-780V	
			22KV	3-6.1KV		
			22KV	3-6.1KV		
			28KV	6.2-9.9KV	200-980V	
			32KV	6.9-10.8KV	200-890V	
			30KV	6.2-9.8KV	150-1210V	
200V			29KV	5.6-9.7KV	150-1140V	
200V			29KV	5.6-9.7KV	150-1140V	
AFC00VP-P			24KV	4.7-8.3KV	110-850V	
		(0=3V)	22KV			11KV
		(0=3V)	22KV			11KV
		(0=3V)	22KV			11KV
		(0=3V)	22KV			11KV
7V			25KV	7-10KV	200-980V	
7V			25KV	7-10KV	200-980V	
7V			25KV	7-10KV	200-980V	
7V			25KV	7-10KV	200-980V	

					1	2	3	4	5	6	7	8	9
21		8351G	BSC25-16236	1-3,4-5-8-10	130V		+B130V		33V		ABL	28V P-P	
21		CKP-210D-30	BSC25-21221	1-2,3-4-5-6	130V	+B130V	6V	110VP-P		28V P-P	ABL		
21		CKP-21613-00	BSC25-21221	1-2,3-4-5-6	130V	+B130V	6V	110VP-P		28V P-P	ABL		
21		CKP-21613D-0	BSC25-21221	1-2,3-4-5-6	130V	+B130V	6V	110VP-P		28V P-P	ABL		
21		4C5403-1	BSC25-21366 (A3- 100)	1-2,3-4-5-6	130V	+B130V	5V	12V		28V P-P	ABL	SV=200-1060V	
21		4C5403-8	BSC25-21366 (A3- 100)	1-2,3-4-5-6	130V	+B130V	5V	12V		28V P-P	ABL	SV=200-1060V	
21		CKM2169-00	BSC25-21366 (A3- 100)	1-2,3-4-5-6	130V	+B130V	5V	12V		28V P-P	ABL	SV=200-1060V	
21		CKP2176B-00	BSC25-21366 (A3- 100)	1-2,3-4-5-6	130V	+B130V	5V	12V		28V P-P	ABL	SV=200-1060V	
21		CKP2176DK-00	BSC25-21366 (A3- 100)	1-2,3-4-5-6	130V	+B130V	5V	12V		28V P-P	ABL	SV=200-1060V	
21		CKM2189	BSC25-21366 (A3- 100)	1-2,3-4-5-6	130V	+B130V	5V	12V		28V P-P	ABL	SV=200-1060V	
21		CKM2189M-00	BSC25-21366 (A3- 100)	1-2,3-4-5-6	130V	+B130V	5V	12V		28V P-P	ABL	SV=200-1060V	
16		CTP-1668D	BSC23-08130	1-4-5,6-10,8-9	107V			190V	+B107V	29VP-P	ABL	D703	12V
16		HFC-169	BSC23-08130	1-4-5,6-10,8-9	107V			190V	+B107V	29VP-P	ABL	D703	12V
21		CPT-2157SF	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
18		CPT-1803	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
18		SF-1803	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
18		CPT-1803SF	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
18		CPT-1806SF	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
18		CPT-1808SF	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
18		SF-1848	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
19		CPT-1924SF/D	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CPT-2104	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CMT-2001SF	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CPT-2103	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CSF-2103	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		SF-2105	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CMT-2106	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CPT-2008SF	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CPT-2123SF	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CPT-2125SF	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CPT-2126SF/D	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
21		CPT-2127SF/D	BSC25-08097 (NP8 100)	1-4-5,2-3-6-8,9-10	110V		26V	200V	+B111V	29VP-P	ABL	14.5	
18		CPT-1806	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
18		CPT-1818	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
18		CPT-1888	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
20		CPT-2016	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
20		CPT-2018	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
20		CPT-2050	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
20		CPT-2005	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
20		C518	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
19		C491	BSC24-08008 (NP8 100)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P

10	11	12	HV-	FV-	SV-	FX-
7V			25KV	7-10KV	200-980V	
			25KV	6-9.3KV	240-960V	
			25KV	6-9.3KV	240-960V	
			25KV	6-9.3KV	240-960V	
			25KV	6.1-9.5KV		
			25KV	6.1-9.5KV		
			25KV	6.1-9.5KV		
			25KV	6.1-9.5KV		
			25KV	6.1-9.5KV		
			25KV	6.1-9.5KV		
			23KV	5.8-8.2KV	220-840V	
			23KV	5.8-8.2KV	220-840V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
28VP-P			25KV	7.8-9.1KV	410-880V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	
			24KV	6.7-9KV	520-1100V	

					1	2	3	4	5	6	7	8	9
18		47C6	BSC24-08008 (NP8)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	14.5	9VP-P
18		47C-6	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		HFC-1804DX	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		CPT-1828	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		CPT-1838	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		CPT-1852	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		CEP-321D	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		CEP-323	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		CEP-328	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		47C-6	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		HFC-321	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		HFC-321D	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		HFC-323	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		HFC-323D	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		HFC-328DX	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		C472-1	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		C472	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		C4712	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
18		C4720	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		C515	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		CPS-201	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		HFC-237	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		HFC-237D	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		HFC-2004	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		CPT-2038	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		CPT-233D	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		CPT-237D (K)	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		CPT-238D	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		HFC-238D (K)	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		HFC-2004	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		ST504G	BSC24-08006 (NP8)	1-5,2-3-4-6-8,9-10	110V		52V	180V	+B110V	28VP-P	ABL	14.5	
20		CPT-230	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
20		HFC-230D	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
20		CPT-2066	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
20		CPT-320D	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
21		CKP-6069	BSC25-21366 (A3-)	1-2,3-4-5-6	130V	+B130V	5V	12V		28V P-P	ABL	SV=200-1060V	
14		TC-482C	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-482H	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-483	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-483P	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-483D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	

10	11	12	HV-	FV-	SV-	FX-
			24KV	6.7-9KV	520-1100V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
28VP-P			24KV	6.2-8KV	420-850V	
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
			25KV	6.1-9.5KV		
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			

					1	2	3	4	5	6	7	8	9
14		TC-484D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-484QP	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
16		TC-682	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
16		TC-683D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
16		TC-683DH	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-482D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-482H	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-483C	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-483D	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-483P	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-483DH	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		RC-371KD	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-371KD	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		TC-484KD	BSC22-05136A	1-6-9,2-4-5	28VP-P	190V		110V	+B110	13V	FV=3.6-6KV	ABL	
14		C-1404MK	BSC22-1168A	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		C-1405DK	BSC22-1168A	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		C-1405CK	BSC22-1168A	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
14		372-3	BSC22-1168A	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
17		3615	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
17		3615B	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		47C2-2/3	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		4701	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		47C2T2-6	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		FY4702	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		4C4701	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		4701-1A	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C4715	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C4717	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		CS47-S	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		CS47-S1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		CS47-S4	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1820MK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		DB47C1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		DB47C4	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		DB4703	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		3625	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		DB3621	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		3640	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		DUC47-4	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1813DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1814DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	

10	11	12	HV-	FV-	SV-	FX-
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
			22KV			
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=210-840V			22KV	3.8-6.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		

					1	2	3	4	5	6	7	8	9
18		C-1814MK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1820MK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1820DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1820CK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1826CK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1833DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1834DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1835DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1836DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1837DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1838DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		CPT-236D	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
20		CPT-281D	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
20		CPM-20HB	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
16		CAP-162	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
18		CPT-1861F	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
18		CPM-18HB	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
20		HFC-236	BSC24-01101 (NP8)	1-2-4,3-7-10,11-12			+B108V	12V	ABL				
21		CMT-2110	BSC25-16175 (NP8)	1-2-5,3-4-6-8,9-10	110V	+B110V	14.5V	26V	180V	28VP-P	ABL		
20		CMP-2085	BSC25-08178	1-5,2-6-8,3-9,4-10	110V		14V		+B110V	180V	ABL	28VP-P	D770
24		CPT-2403	BSC25-08230 (G7P)	1-5,2-3-4-6-8,9-10	110V		26V	180V	+B110V	28VP-P	ABL	15.2	9VP-P
22		CEP-5322XK	BSC25-10232	2-5,3-6,4-7-12,10-11		210V	115V	69V	+B115V	+B115V		ABL	
20		CPT-2099	BSC25-08333	1-5,3-4-6-8-9-10	111V		28VP-P	180V	+B111V		ABL	26V	15.3
25		C-25ST2	BSC28-23382	1-2,3-5-6-8-9,4-10	110V	+B110	AFC110VP-P	12V	26.2	15.3	ABL	31VP-P	
29		CMT2918C	BSC28-23382	1-2,3-5-6-8-9,4-10	110V	+B110	AFC110VP-P	12V	26.2	15.3	ABL	31VP-P	
29		C29G66SR	BSC29-23704	1-2,3-4-5-6-7-8-9-10	110V	+B110	AFC110VP-P	-30V	26V	14.8		31VP-P	152V
14		C-1401DK	BSC22-04018	2-9,3-4-6-7-10,5-8	ABL	20VP-P	AFC140VP-P	58V	110V		29VP-P	+B110	
14		C-1401M	BSC22-04018	2-9,3-4-6-7-10,5-8	ABL	20VP-P	AFC140VP-P	58V	110V		29VP-P	+B110	
18		C-1855DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144VP-P	ABL	29VP-P	
18		C-1885DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1887DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		18S11-A1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1801DK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1801XK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		DUC47-C4	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1805XK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		47SYC-3	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		KQ47-36	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C47-2	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C47-3Y	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C4725-2	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	

10	11	12	HV-	FV-	SV-	FX-
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
180V		28VP-P	24KV	3.5-6.2KV		
28VP-P			25KV	4.6-9.2KV	340-1080V	
26V			25KV	7-9KV	480-1100V	
			24KV	6.7-9KV	520-1100V	
16V			25KV	4.3-6.5KV		
28VP-P			25KV	6.3-8.6KV	200-820V	
			28KV	4.2-9.2KV	190-980V	
			28KV	4.2-9.2KV	190-980V	
234V			30KV	7-11.2KV	340-1000V	
14.5V			22KV	4.4-7.2KV	420-860V	
14.5V			22KV	4.4-7.2KV	420-860V	
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		

					1	2	3	4	5	6	7	8	9
18		DB47C4	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		WCD25	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		D47C	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		D47C-1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		D47C-9	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		SZ47C1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
19		49C2Y21-1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		CD47-6	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		CD47-6A	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
19		CD49-1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
19		CD49-1B	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		CD51-4	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		CD51-4A	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		512Y21-2	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		C5152	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		51SYC-2	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		51SYC-3A	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		51L1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		C511	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		C512	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
20		4C5105	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		C-2102VI	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		C-2102VIA	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		4C5401-1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		CD54-1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		CD54-1A	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		CD54-4A	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		4S54-S1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		3636A	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		DB3638	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		54L1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		54SYC-3	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		54C2Y2-1	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		54C2Y21-2	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		54SYC-3B	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
21		C-2102MK	BSC24-11068	1-2-4,2-6-8	115V		+B115	180V		AFC144P-P	ABL	29VP-P	
18		C-1804DK	BSC24-04016	1-3-6,2-7-8,4-5,10-11	115V	25V	+B115	180VP-P	29VP-P	180V		14V	ABL
20		C-2007DK	BSC24-04016	1-3-6,2-7-8,4-5,10-11	115V	25V	+B115	180VP-P	29VP-P	180V		14V	ABL
18		C-180	BSC24-04016	1-3-6,2-7-8,4-5,10-11	115V	25V	+B115	180VP-P	29VP-P	180V		14V	ABL
18		18S11-A2	BSC25-03199	1-3-4,5-6-7-9	115V		+B115	180V	25V	300VP-P		ABL	29VP-P
21		21S11-A1	BSC25-03199	1-3-4,5-6-7-9	115V		+B115	180V	25V	300VP-P		ABL	29VP-P

10	11	12	HV-	FV-	SV-	FX-
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
SV=510-1100V			24KV	6.5-9.2KV		
9VP-P			24KV	7-9KV	540-1100V	
9VP-P			24KV	7-9KV	540-1100V	
9VP-P			24KV	7-9KV	540-1100V	
			25KV	6.2-9.3KV	260-980V	
			25KV	6.2-9.3KV	260-980V	

					1	2	3	4	5	6	7	8	9
21		21S11-A2	BSC25-03199	1-3-4,5-6-7-9	115V		+B115	180V	25V	300VP-P		ABL	29VP-P
21		C-2101VI	BSC25-12192	1-2-5-6-7-10,3-4-8,11-12	16V	25V	115V	+B115	-30V	28VP-P		180V	ABL
21		C-2121CK	BSC25-12192	1-2-5-6-7-10,3-4-8,11-12	16V	25V	115V	+B115	-30V	28VP-P		180V	ABL
21		C-2121DK	BSC25-12192	1-2-5-6-7-10,3-4-8,11-12	16V	25V	115V	+B115	-30V	28VP-P		180V	ABL
21		C-5407CK	BSC25-12192	1-2-5-6-7-10,3-4-8,11-12	16V	25V	115V	+B115	-30V	28VP-P		180V	ABL
26		DV-2560SPN	BSC28-16245	1-2-3,4-5-6-8	120V	+B120V	180V	16.5	135VP-P	30VP-P	ABL		
14		14D-CM	BSC22-03426	1-2-9,3-4-6-7-8	115V	+B115	24V	12V		AFC150VP-P		28VP-P	180V
14		C-1459	BSC22-03426	1-2-9,3-4-6-7-8	115V	+B115	24V	12V		AFC150VP-P		28VP-P	180V
21		CV-2131CKI	BSC26-03443	1-3-6-8-10,2-4-9,11-12	16V	115V	27V	+B115		AFC140VP-P	ABL		180V
25		25N21D2	BSC29-23465	1-3-4 2-5-7-9-10	120V	195V		+B120	26V		AFC140VP-P	ABL	
29		C-29AW4	BSC30-23555	1-2-3 4-6-7-9-10	120V	195V	+B120	26V		14V	AFC140VP-P	ABL	
33		C-33AW4	BSC30-23555	1-2-3 4-6-7-9-10	120V	195V	+B120	26V		14V	AFC140VP-P	ABL	
33		W248	BSC29-23669	1-2-3 4-6-7-9-10	120V	222V	+B120	16V		33.5V	AFC170VP-P	ABL	
29			BSC26-23724	1-2 3-4-5-6-7-8-9	110V	+B110	171V	180VP-P	30VP-P		16.7V	25.1V	30V
14	JVC	C-1403	BSC22-20238	1-3-9-10 4-5-6 7-8	115V	ABL		16.6V		65VP-P		28VP-P	+B115
14		7190SY	BSC21-20162	1-3-6 4-5 7-8-9	24V	ABL	5.3V		28VP-P		+B110V	180V	110V
14		37XC1B	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
14		3614	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
18		X647-4A	BSC22-20155A	1-3,4-5,6-7-10	17V	ABL			28VP-P	+B110V	180V	110V	
18		Z647-1A	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		Z647-1B	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		Z647-2A	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		Z647-2B	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		Z264-1	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		Z247-1A	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		Z247-2A	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		TC47C6	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		47SYC-2	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		47SYC-4	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SC-C51D-CT	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		SC47A	BSC25-13147	1-3,2-4-5,7-8-9	17V	12V	D504		28VP-P	ABL	+B110V	180V	110V
18		C47-3A	BSC23-13147A	1-3-9,2-4-5,7-8	110V		+B110V	44V	12V	ABL	28VP-P		170V
18		C47-Q	BSC24-01200	2-10,3-6-8,4-5-7-9	ABL	+B110V	12V	28VP-P	61V			16V	190V
18		C47-2	BSC24-01200	2-10,3-6-8,4-5-7-9	ABL	+B110V	12V	28VP-P	61V			16V	190V
18		8302-1	BSC24-14197	1-3,4-5,6-7-8	16.5V	ABL			28VP-P	+B120V	190V	120V	
18	JVC	JVC7705	BSC24-14197	1-3,4-5,6-7-8	16.5V	ABL			28VP-P	+B120V	190V	120V	
18		CFC47-4B	BSC24-14197	1-3,4-5,6-7-8	16.5V	ABL			28VP-P	+B120V	190V	120V	
20	JVC	JVC7745JM	BSC24-01120	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	14.2V	24.6V	28VP-P	32V			12V
20	JVC	JVC7745HC	BSC24-01120	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	14.2V	24.6V	28VP-P	32V			12V
20	JVC	JVC7755JM	BSC24-01120	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	14.2V	24.6V	28VP-P	32V			12V
18	JVC	JVC7755JM	BSC24-01120	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	14.2V	24.6V	28VP-P	32V			12V

10	11	12	HV-	FV-	SV-	FX-
			25KV	6.2-9.3KV	260-980V	
29VP-P		9VP-P	25KV	6.2-9.3KV	260-980V	
29VP-P		9VP-P	25KV	6.2-9.3KV	260-980V	
29VP-P		9VP-P	25KV	6.2-9.3KV	260-980V	
29VP-P		9VP-P	25KV	6.2-9.3KV	260-980V	
			28KV	6.8-10.2KV	270-980V	
ABL			22KV	5.1-7.8KV	130-1040V	
ABL			22KV	5.1-7.8KV	130-1040V	
29VP-P		17VP-P	26KV	7.5-9.9KV	100-1150V	
29VP-P			29KV	6.5-10KV	190-1070V	
32VP-P			30KV	6.5-10KV	190-1070V	
32VP-P			30KV	6.5-10KV	190-1070V	
29VP-P			29KV	4.8-10.5KV	290-1100V	
ABL			22KV	5.2-7KV	180-760V	
180V			22KV			9.1KV
			21KV	8.7KV		
			22KV	6.9KV		
			22KV	6.9KV		
			22KV	6.9KV		
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			25KV			
			23KV			
110V			24KV			
110V			24KV			
			24KV	8.9KV		
			24KV	8.9KV		
			24KV	8.9KV		
190V	110V	40VP-P	24KV	6.8-9KV	180-720V	
190V	110V	40VP-P	24KV	6.8-9KV	180-720V	
190V	110V	40VP-P	24KV	6.8-9KV	180-720V	
190V	110V	40VP-P	24KV	6.8-9KV	180-720V	

					1	2	3	4	5	6	7	8	9
20		JVC7755LN	BSC24-01120	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	14.2V	24.6V	28VP-P	32V			12V
20		JVC7755JM	BSC24-01120	2-11-12,3-4-7-9,5-6-8-10	ABL	+B110V	14.2V	24.6V	28VP-P	32V			12V
14		Z237-2	BSC22-20155B	1-3-6,4-5,7-8-9	23.5V	ABL	5.1V		28VP-P		+B110V	180V	110V
14		Z237-2A	BSC22-20155B	1-3-6,4-5,7-8-9	23.5V	ABL	5.1V		28VP-P		+B110V	180V	110V
14		C37-3	BSC22-20155B	1-3-6,4-5,7-8-9	23.5V	ABL	5.1V		28VP-P		+B110V	180V	110V
18		7685JM	BSC22-20155B	1-3-6,4-5,7-8-9	23.5V	ABL	5.1V		28VP-P		+B110V	180V	110V
14		1407	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
14		CV-1488A	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
14		ZZH180	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
14	FCC	FCC-1414AL	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
14		SE-1438G(F)	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
16		SE-1638G(F)	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
16		NA-10YD	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
16		NA-16YD	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
16		NA-16PD	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
14		TF-1401	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		SE-1838G(F)	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		CD-168ET	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		NA-189D	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		NA-818	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		KV-820	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		XP-418	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		XR-418	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		1838G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		SE-1838F	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18	888	888 CD-168ET	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		HT-1838F	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		HA-1808DI	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		CB-504GH	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		HI-2054DI	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		CD-504G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		C51J1	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		K-2504H	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		TC-5504G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		TC-5504G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		TC-5504G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		SE-2038	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		KJ-505G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		HuaYnan	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
18		CV-183	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	
20		CT-2088	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P		28VP-P	24.6V	180V	ABL	+B103V	

10	11	12	HV-	FV-	SV-	FX-
190V	110V	40VP-P	24KV	6.8-9KV	180-720V	
190V	110V	40VP-P	24KV	6.8-9KV	180-720V	
			24KV	8.4KV		
			24KV	8.4KV		
			24KV	8.4KV		
			24KV	8.4KV		
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	

					1	2	3	4	5	6	7	8	9
20		GX-201	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		CD-435	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		KJ505G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
22		SGC5602	BSC22-20155B	1-3-6,4-5,7-8-9	23.5V	ABL	5.1V		28VP-P		+B110V	180V	110V
14		BSC22-N201	BSC22-20278	1-3,4-5,6-7-8	12V	ABL			28VP-P	+B114V	180V	113V	
20		JTC513	BSC22-20278	1-3,4-5,6-7-8	12V	ABL			28VP-P	+B114V	180V	113V	
21	JVC	JVC C-201C	BSC25-07301	1-2-8,3-4-5-7	113V	+B115V	12V		24.6V	ABL	28VP-P	180V	
18	JVC	JVC7685	BSC24-13398	1-2,3-4,6-7-8	17.5V			28VP-P	ABL	+B110V	180V	110V	
22	JVC	JVC7885JM	BSC21-20586	1-4,3-5,6-7-8-9		ABL		28VP-P	17		+B115V	180V	110V
22		Z656	BSC21-20586	1-4,3-5,6-7-8-9		ABL		28VP-P	17		+B115V	180V	110V
14		SE-1401G	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		NA-14PD	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		NA-813	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		NA-1490	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		C-1401	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		CR838	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		SE-1401G	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		SE-1401G	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		KDC371	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		SE1401G	BSC22-08132	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		7190HN	BSC21-20162	1-3-6 4-5 7-8-9	24V	ABL	5.3V		28VP-P		+B110V	180V	110V
14		C-37-4A	BSC21-20162	1-3-6 4-5 7-8-9	24V	ABL	5.3V		28VP-P		+B110V	180V	110V
20		CD-435F	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		CB-808G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		CT-2088	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		SE-2038G(F)	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		FCC-2015AL	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		C-2020F(S)	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		C-2038F	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		CTO-2088	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		CTO-2015A	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		TC-5504G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		NA-833	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
18		NA-20PD	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		C4901	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		CD-198ET	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		KA-2054H	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		GX-201	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		WI-208G	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
20		WI-208ET	BSC24-08009	1-2-3-4-6,5-8-9-10	16.5V	AFC137VP-P	28VP-P	24.6V	180V		ABL	+B103V	
14		HH14-2	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	28VP-P	AFC150VP-P	+B112V	ABL		180V

10	11	12	HV-	FV-	SV-	FX-
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
			24KV	8.4KV		
			22KV	8.4KV		
			22KV	8.4KV		
			25KV	5-9KV	190-1100V	
			24KV			
			21KV	7.8KV		
			21KV	7.8KV		
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
103V			22KV	3.9-5.5KV	150-700V	
			21KV	8.7KV		
			21KV	8.7KV		
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
103V			24KV	3.9-5.5KV	150-700V	
			22KV	3.9-6.4KV	360-920V	

					1	2	3	4	5	6	7	8	9
14		8401	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	28VP-P	AFC150VP-P	+B112V	ABL		180V
14		8401B	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	28VP-P	AFC150VP-P	+B112V	ABL		180V
14		SDY-4101	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	28VP-P	AFC150VP-P	+B112V	ABL		180V
14		8402	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	28VP-P	AFC150VP-P	+B112V	ABL		180V
16		DH828	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	28VP-P	AFC150VP-P	+B112V	ABL		180V
16		DH-828	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
16		HA-1606DI	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
18		CD-168ET	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		DH-828	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		HaiHua	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		CDS-9021	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		CDY-9024	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		SDY-9024	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		CDS-9224	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		PC-02X	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20	888	888 CD-198ET	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20	888	888 5316	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		CDY-9024	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		SDY-9224	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		CDY-9024	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		ECC-200	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		PC-02X	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		DJJ-848	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		CDY-9224	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		CDY-9024	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		DH-828	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
20		CDY9024	BSC22-16060	1-6-9,2-3-4-5-8	112V	40V	16.5V	30VP-P	AFC170VP-P	+B112V	ABL		180V
14		D3121	BSC22-04122	1-2-3-4-5-6,8-9-10	AFC170VP-P	30VP-P	15V	180V		45V	ABL	+B135V	
14		K3121S	BSC22-04122	1-2-3-4-5-6,8-9-10	AFC170VP-P	30VP-P	15V	180V		45V	ABL	+B135V	
20		C9112	BSC24-06354	1-2-3-6,4-5-10,8-9	135V	300VP-P	180V	32.1V	3.2V	+B135V	ABL	28VP-P	
20		79A302-10	BSC24-06354	1-2-3-6,4-5-10,8-9	135V	300VP-P	180V	32.1V	3.2V	+B135V	ABL	28VP-P	
14		79A306-1	BSC22-04122	1-2-3-4-5-6,8-9-10	AFC170VP-P	30VP-P	15V	180V		45V	ABL	+B135V	
14		79A306-1	BSC22-04122	1-2-3-4-5-6,8-9-10	AFC170VP-P	30VP-P	15V	180V		45V	ABL	+B135V	
14		79A306-2	BSC22-04161	1-2-3-5-6,4-8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
14		79A306-3	BSC22-04161	1-2-3-5-6,4-8-9-10	AFC170VP-P	28VP-P	15V	180V		45V	ABL	+B135V	
14		C4112	BSC22-10030	1-7-9,2-5-6-10,3-4,11-12	25V				+B135V	135V	28VP-P	ABL	
28		COLORSP (DCS-405ME)	BSC23-17498	1-8-9-10-11,2-7,3-4-6	AFC70VP-P		+B118V	118V	ABL	165V	24V	14.5V	8.8V
14		DCS-405ME	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
14		C-3503	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
17		C-4902	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
14		C-34P	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL

10	11	12	HV-	FV-	SV-	FX-
			22KV	3.9-6.4KV	360-920V	
			22KV	3.9-6.4KV	360-920V	
			22KV	3.9-6.4KV	360-920V	
			22KV	3.9-6.4KV	360-920V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
			24KV	4.7-8.4KV	300-870V	
135V			22KV	5.3-8.4KV	220-790V	
135V			22KV	5.3-8.4KV	220-790V	
			24KV	4.3-7.6KV	150-920V	
			24KV	4.3-7.6KV	150-920V	
135V			22KV	5.3-8.4KV	220-790V	
135V			22KV	5.3-8.4KV	220-790V	
135V			22KV	5.3-8.4KV	220-790V	
135V			22KV	5.3-8.4KV	220-790V	
			24KV	5.7-8.5KV	780-1250V	
28VP-P			23KV	10.5KV		
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	

					1	2	3	4	5	6	7	8	9
14		DCS-405ME	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
14		DCS-405ME	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
14		DCS-405MC	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
14		DCS-504ME	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
14		DCS-405ME	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
14		C-34P	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
14		DCS-405M	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
16		DCS-601VE	BSC22-1245A	1-4-6-7,2-3-5-8,11-12	103V		24V	+B103V	28VP-P	180V	C425	16.5V	ABL
18		18C5320	BSC24-03027	1-4-5,3-6-10,8-9	115V		AFC100VP-P	+B115V	165V		ABL		28VP-P
18		18C5320	BSC24-03027	1-4-5,3-6-10,8-9	115V		AFC100VP-P	+B115V	165V		ABL		28VP-P
18		18C5320	BSC24-03027	1-4-5,3-6-10,8-9	115V		AFC100VP-P	+B115V	165V		ABL		28VP-P
20		208C6320	BSC24-03027	1-4-5,3-6-10,8-9	115V		AFC100VP-P	+B115V	165V		ABL		28VP-P
20		208C6320	BSC24-03027	1-4-5,3-6-10,8-9	115V		AFC100VP-P	+B115V	165V		ABL		28VP-P
20		208C6320	BSC24-03027	1-4-5,3-6-10,8-9	115V		AFC100VP-P	+B115V	165V		ABL		28VP-P
14		KV-1400CH	BSC22-14241	3-4-5-6,7-9-10-11-12	ABL		28VP-P	185V	+B105V	105V	40VP-P		24V
14		KV-1430CH	BSC22-15041	1-2,3-4-5,6-10-11,8-9	28VP-P		185V	+B115V	115V	15V	ABL	24V	
14		KV-1432CH	BSC22-15041	1-2,3-4-5,6-10-11,8-9	28VP-P		185V	+B115V	115V	15V	ABL	24V	
18		KV-1882CH	BSC24-15020	1-2,3-4-5,6-11,8-9		28VP-P	200V	+B115V	115V	15V	ABL	24V	
18		KV-1820HK	BSC24-15020	1-2,3-4-5,6-11,8-9		28VP-P	200V	+B115V	115V	15V	ABL	24V	
18		KV-1882	BSC24-15020	1-2,3-4-5,6-11,8-9		28VP-P	200V	+B115V	115V	15V	ABL	24V	
21		PVM2010QM	BSC25-15233	1-2,3-4-5,6-11,8-9	28VP-P		200V	+B115V	115V	14.3V	ABL	24V	
21		KV-2102	BSC24-01194	1-2,3-4-5,6-8-9-10-11		28VP-P	165V	+B115V	115V	12V	ABL	250VP-P	24V
21		KV-2181DC	BSC24-01194	1-2,3-4-5,6-8-9-10-11		28VP-P	165V	+B115V	115V	12V	ABL	250VP-P	24V
21		KV-2182DC	BSC24-01194	1-2,3-4-5,6-8-9-10-11		28VP-P	165V	+B115V	115V	12V	ABL	250VP-P	24V
21		KV-2182CH	BSC24-01194	1-2,3-4-5,6-8-9-10-11		28VP-P	165V	+B115V	115V	12V	ABL	250VP-P	24V
21		KV-2184TC	BSC24-01194	1-2,3-4-5,6-8-9-10-11		28VP-P	165V	+B115V	115V	12V	ABL	250VP-P	24V
20		KV-2020CH	BSC25-14237	1-2,3-4-5-6,9-10-11-12	28VP-P		+B115V	200V	65VP-P	115V		ABL	30V
20		KV-2002CH	BSC14-15275	1-2	+B130V	130V	ABL						
20		KV-2010CH	BSC14-15275	1-2	+B130V	130V	ABL						
21		1-439-11/6K15/A2	BSC24-14319	1-2,3-4-5-6-10,8-9-11		28VP-P	200V	+B135V	135V	120VP-P	ABL		230VP-P
21		KV-21FXIMT	BSC24-14319	1-2,3-4-5-6-10,8-9-11		28VP-P	200V	+B135V	135V	120VP-P	ABL		230VP-P
21		KV-2189	BSC26-23441	1-2-3,4-5,6-7-8-9	115V	+B115V	200V		28VP-P	AFC140VP-P		15V	26V
25		KV-2584MT	BSC26-19579	1-2,3-4-5,6-8-9-10-11		28VP-P	200V	+B135V	135V	17V	ABL	AFC130VP-P	28V
25		KV-2585	BSC26-19579	1-2,3-4-5,6-8-9-10-11		28VP-P	200V	+B135V	135V	17V	ABL	AFC130VP-P	28V
25		KV-2565MIJ	BSC26-19579	1-2,3-4-5,6-8-9-10-11		28VP-P	200V	+B135V	135V	17V	ABL	AFC130VP-P	28V
29		KV-2965MIJ/RM827	BSC26-19579	1-2,3-4-5,6-8-9-10-11		28VP-P	200V	+B135V	135V	17V	ABL	AFC130VP-P	28V
25		KV-2553TC	BSC25-19580	1-2,3-4-5-8,6-9-10-11		28VP-P	+B115V	190V	115V	12V	ABL	75VP-P	28V
18		CT-1803PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1804PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		ZJ-1803RDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-4703TDSX	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		

10	11	12	HV-	FV-	SV-	FX-
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
20VP-P			22KV	3.9-6KV	220-810V	
14V			24KV	5.5-8.8KV	320-890V	
14V			24KV	5.5-8.8KV	320-890V	
14V			24KV	5.5-8.8KV	320-890V	
14V			24KV	5.5-8.8KV	320-890V	
14V			24KV	5.5-8.8KV	320-890V	
14V			24KV	5.5-8.8KV	320-890V	
14V	19VP-P		22KV			
28VP-P			22KV			
28VP-P			22KV			
			24KV			
			24KV			
			24KV			
24VP-P			25KV			
70VP-P			24KV	3.5-7.2KV		
70VP-P			24KV	3.5-7.2KV		
70VP-P			24KV	3.5-7.2KV		
70VP-P			24KV	3.5-7.2KV		
70VP-P			24KV	3.5-7.2KV		
15	18VP-P		25KV			
			14KV			
			14KV			
48VP-P	40V		24KV	3-7.4KV		
48VP-P	40V		24KV	3-7.4KV		
ABL			26KV	4.4-8.2KV		
34VP-P			26KV	5.1-9.5KV		
34VP-P			26KV	5.1-9.5KV		
34VP-P			26KV	5.1-9.5KV		
34VP-P			26KV	5.1-9.5KV		
34VP-P			25KV	3.6-6.7KV		
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	

					1	2	3	4	5	6	7	8	9
18		CT-1802PDH R	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1802PDH R	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		CT-1802PDH R	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
20		20T774PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
20		CT-5130PDH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
20		20T774	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
20		20T774PD C	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
20		20T775MH	BSC25-16084	1-2-4-5-8,3-6-10	40V	12V	+B115B	29VP-P	AFC160VP-P	185V	ABL		
18		18T672PD C	BSC24-01049	1-2-3-4-5,6-9-10	41V	15V		29VP-P	AFC132VP-P	+B110V	ABL		185V
20		20T772PDH	BSC24-01049	1-2-3-4-5,6-9-10	41V	15V		29VP-P	AFC132VP-P	+B110V	ABL		185V
14		CT-1402B/G	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1402PDSX	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1404PDH	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1402PDSX	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1404PDSX	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1405PDSX	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1402PDH	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1402PDSX	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1404PDSX	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-1405PDSX	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
14		CT-14025PDH	BSC22-0484A	1-2-4-5-8,3-6-10	42V	12V	+B115B	29VP-P	AFC130VP-P	180V	ABL		
20		20T-516R	BSC25-04229	1-4-5-8,2-3-7-9-10	118V	12V	29VP-P	+B118V	180V	ABL	130VP-P	30VP-P	
20		TC-2023CX	BSC25-04229	1-4-5-8,2-3-7-9-10	118V	12V	29VP-P	+B118V	180V	ABL	130VP-P	30VP-P	
20		CT-2011HD	BSC26-01257	1-5-8,3-6-7-9,10-11	114V		20V		+B115V		6V	165V	110VP-P
25		CT-2002HC	BSC25-01307	1-11,2-7-6,3-4,8-9-10	29VP-P	+B116V		108VP-P	ABL	109V	170V		20V
14		CP-147HC	BSC24-01388	1-11,2-7-6,3-4,8-9-10	29VP-P	+B116V		108VP-P	ABL	109V	170V		20V
14		15C-331/M51307	BSC26-03466	1-2,3-4-5-6-7,9-10	+B115V	115V	25V	12.1V	AFC40VP-P	170V		ABL	
25		25C792	BSC25-23571	1-2-6,3-4-5-7,9-10	115V	+B115V	25V	12.1V	AFC40VP-P	170V		ABL	
28		28C892	BSC25-23571	1-2-6,3-4-5-7,9-10	115V	+B115V	25V	12.1V	AFC40VP-P	170V		ABL	
21		CT-203P	BSC24-03662	1-2-6,3-4-5-7,9-10	110V	+B110V	25V	14.8V	AFC80VP-P	170V		ABL	
21		G17T	BSC25-23737	1-2,3-4-5-6-7,9-10	+B115V	115V	26.5V	14.2V	AFC50VP-P	170V		ABL	
25		334P12903	BSC30-27741	1-2,3-4-5-6,9-10	115V	+B115V	34V	18V		170V		ABL	
14		EC-141D	BSC22-01014	1-2-3-4-5,6-9-10	44V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		EC-141D	BSC22-01014	1-2-3-4-5,6-9-10	44V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		RC-141D	BSC22-01014	1-2-3-4-5,6-9-10	44V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		EC-182D	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		NC-18B	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		HC-8414	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		HC-8418	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		RC-182D	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		RC-471	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V

10	11	12	HV-	FV-	SV-	FX-
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
115V			25KV	5.7-10KV	390-940KV	
+B110V			24KV	7-9KV		
+B110V			24KV	7-9KV		
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
115V			22KV	2.8-6KV	150-500V	
43V			25KV	5.3-9KV	180-1100V	
43V			25KV	5.3-9KV	180-1100V	
	29VP-P		26KV	10.5KV		
AFC190VP-P			25KV	3.8-7.8KV		
AFC190VP-P			24KV	6.7KV		
29VP-P			26KV	6.4-10.3KV	160-1050V	
29VP-P			25KV	5.6-9.5KV	150-980V	
29VP-P			25KV	5.6-9.5KV	150-980V	
29VP-P			24KV	6.2-10.3KV	60-990V	
29VP-P			25KV	4.7-9.8KV	70-750V	
29VP-P			30KV	5.4-9.8KV	100-1050V	
112V			22KV	4-6KV		
112V			22KV	4-6KV		
112V			22KV	4-6KV		
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	

					1	2	3	4	5	6	7	8	9
18		EC-182D	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		TC-1802	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		L-871	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		EC-182	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
20		EC-206T	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
20		EC-2021R	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
20		EC-206D	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
20		RC-227	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
20		CH201-P	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22			BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22			BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		EC-227T	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		EC-227T	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		HC22-1	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		EC-227	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		SC-561	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
20		EC-206D	BSC24-08015	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		RC-142D	BSC22-0815A	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		EC-142	BSC22-0815A	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		EC-142D	BSC22-0815A	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		RC-351	BSC22-0815A	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		RC-352A	BSC22-0815A	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		37CD2	BSC22-0815A	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		RC-142D	BSC22-0815A	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
14		RC-142	BSC22-0815A	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
18		EC-186	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		EC-2013R	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		DCU51-C2	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		C51J2	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		C-202DR	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		EC-2063R	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		E-206	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		MEC-2013	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		EC-2013	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		EC-2061AR	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
20		EC-2061D	BSC24-04092	1-3-5,4-6-8-9-10	175V		112V	AFC165VP-P	+B112V	44V	ABL		12V
18		VC-18E517	BSC25-04208	1-2-4,3-6-8-9-10	175V	112V	AFC130VP-P	+B112V		40V	ABL		12V
20		EC-2061AR	BSC25-04208	1-2-4,3-6-8-9-10	175V	112V	AFC130VP-P	+B112V		40V	ABL		12V
18		EC-1861AR	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		NC-20B	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		NC-20C	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V

10	11	12	HV-	FV-	SV-	FX-
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			24KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
112V			22KV	3.6-5.5KV	260-820V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			24KV	4-6.8KV	220-860V	
28VP-P			25KV	4.8-8.5KV	150-720V	
28VP-P			25KV	4.8-8.5KV	150-720V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	

					1	2	3	4	5	6	7	8	9
20		NC-20D	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		NC51-DR	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		EC-2063R	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		HH-2063R	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		JTC512	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		C51J-1	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		51CJ3	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		51CJ1	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		T514-3PD/ACR	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20	STAR	TCH-8720	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		EC-2063AR	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		MEC-2061AR	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		HC-2061	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
20		HC-2063R	BSC24-04055	1-2-4,3-5-6-8-9-10	190V	112V	AFC160VP-P	+B112V	45V	26V	ABL		12V
21		EMT-2103	BSC25-22215	1-2-4,3-5-6-8-9-10	175V	112V	AFC145VP-P	+B112V	45V	26V	ABL		12V
21		EC-2123	BSC25-22215	1-2-4,3-5-6-8-9-10	175V	112V	AFC145VP-P	+B112V	45V	26V	ABL		12V
21		SC-54SY	BSC25-22215	1-2-4,3-5-6-8-9-10	175V	112V	AFC145VP-P	+B112V	45V	26V	ABL		12V
21		SGC-5413A	BSC25-22215	1-2-4,3-5-6-8-9-10	175V	112V	AFC145VP-P	+B112V	45V	26V	ABL		12V
21		C54L3	BSC25-22215	1-2-4,3-5-6-8-9-10	175V	112V	AFC145VP-P	+B112V	45V	26V	ABL		12V
21		NC54-AR	BSC25-22215	1-2-4,3-5-6-8-9-10	175V	112V	AFC145VP-P	+B112V	45V	26V	ABL		12V
21		EC-2103	BSC25-22215	1-2-4,3-5-6-8-9-10	175V	112V	AFC145VP-P	+B112V	45V	26V	ABL		12V
21		MEC-2013R	BSC25-03190	1-2-4,3-5-6-8-9-10	175V	112V	AFC240VP-P	+B112V	26V	45V	ABL		12V
21		MEC-2013R	BSC25-22215	1-2-4,3-5-6-8-9-10	175V	112V	AFC145VP-P	+B112V	45V	26V	ABL		12V
22		EC-227D	BSC25-08003	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		RC-227D	BSC25-08003	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		EC-227D	BSC25-08003	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		EC-227D	BSC25-08003	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		EC-227D	BSC25-08003	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
22		DUC56-2	BSC25-08003	1-2-3-4-5,6-9-10	50V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
21		EC-2103R	BSC25-16267	1-2-4,3-5-6-8-9-10	190V	106V	AFC145VP-P	+B106V	26V	42V	ABL		12V
21		EC-2103R	BSC25-16267	1-2-4,3-5-6-8-9-10	190V	106V	AFC145VP-P	+B106V	26V	42V	ABL		12V
21		CT9038R	BSC25-16267	1-2-4,3-5-6-8-9-10	190V	106V	AFC145VP-P	+B106V	26V	42V	ABL		12V
21		SC-531	BSC25-16267	1-2-4,3-5-6-8-9-10	190V	106V	AFC145VP-P	+B106V	26V	42V	ABL		12V
21		JTC532	BSC25-16267	1-2-4,3-5-6-8-9-10	190V	106V	AFC145VP-P	+B106V	26V	42V	ABL		12V
21		EC-2173	BSC23-04290	1-2-4,3-6-8-9-10	170V	112V	AFC145VP-P	+B112V		26V	ABL		12V
20		EC-2013 (L913B)	BSC25-22215	1-2-4,3-5-6-8-9-10	195V	112V	AFC250VP-P	+B112V	600VP-P	26V	ABL		12V
20		Z651-7A	BSC25-22215	1-2-4,3-5-6-8-9-10	195V	112V	AFC250VP-P	+B112V	600VP-P	26V	ABL		12V
21		EC-2183M	BSC25-22215	1-2-4,3-5-6-8-9-10	195V	112V	AFC250VP-P	+B112V	600VP-P	26V	ABL		12V
14		MODEL-1481	BSC23-19385	1-2-3-4-5,6-9-10	44.5V	16.5V		29VP-P	AFC165VP-P	+B112V	ABL		170V
25		EC-2505	BSC31-23428	1-2-10,3-4-5-7-9	150V	+B150V	AFC160V	27V	15V		28VP-P	ABL	
25		EC-2588	BSC31-23428	1-2-10,3-4-5-7-9	150V	+B150V	AFC160V	27V	15V		28VP-P	ABL	

10	11	12	HV-	FV-	SV-	FX-
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			24KV	4.8-7.6KV	220-860V	
28VP-P			25KV	4.8-8.8KV	65-590V	
28VP-P			25KV	4.8-8.8KV	65-590V	
28VP-P			25KV	4.8-8.8KV	65-590V	
28VP-P			25KV	4.8-8.8KV	65-590V	
28VP-P			25KV	4.8-8.8KV	65-590V	
28VP-P			25KV	4.8-8.8KV	65-590V	
28VP-P			25KV	5.7-9.8KV	240-930V	
28VP-P			25KV	4.8-8.8KV	65-590V	
112V			25KV	4-6KV	410-870V	
112V			25KV	4-6KV	410-870V	
112V			25KV	4-6KV	410-870V	
112V			25KV	4-6KV	410-870V	
112V			25KV	4-6KV	410-870V	
28VP-P			26KV	6.1-10.4KV	250-1200V	
28VP-P			26KV	6.1-10.4KV	250-1200V	
28VP-P			26KV	6.1-10.4KV	250-1200V	
28VP-P			26KV	6.1-10.4KV	250-1200V	
28VP-P			26KV	6.1-10.4KV	250-1200V	
28VP-P			23KV	5.1-8.2KV	200-1060V	
28VP-P			25KV	4.8-8.8KV	100-1100V	
28VP-P			25KV	4.8-8.8KV	100-1100V	
28VP-P			25KV	4.8-8.8KV	100-1100V	
112V			23KV	4-6KV		
216V			31KV	6.9-10.8KV	240-1200V	
216V			31KV	6.9-10.8KV	240-1200V	

					1	2	3	4	5	6	7	8	9
28		EC-2808	BSC31-23428	1-2-10,3-4-5-7-9	150V	+B150V	AFC160V	27V	15V		28VP-P	ABL	
28		SR7123	BSC31-23428	1-2-10,3-4-5-7-9	150V	+B150V	AFC160V	27V	15V		28VP-P	ABL	
28		MULTI-SYSTEM	BSC31-23428	1-2-10,3-4-5-7-9	150V	+B150V	AFC160V	27V	15V		28VP-P	ABL	
21		EC-2113AR	BSC24-04562	1-2-4,3-6-8-9-10	190V	129V	AFC130VP-P	+B129V		26V	ABL		14V
21		SC-C54A	BSC24-04562	1-2-4,3-6-8-9-10	190V	129V	AFC130VP-P	+B129V		26V	ABL		14V
21		EC-2188M	BSC28-23742	1-2-4,3-5-6-8-9-10	200V	110V	AFC165VP-P	+B110V	12V	26V	ABL		12V
21		EC-2188MH	BSC28-23742	1-2-4,3-5-6-8-9-10	200V	110V	AFC165VP-P	+B110V	12V	26V	ABL		12V
21		TCL9621B	BSC28-23742	1-2-4,3-5-6-8-9-10	200V	110V	AFC165VP-P	+B110V	12V	26V	ABL		12V
21		TCL9621C	BSC28-23742	1-2-4,3-5-6-8-9-10	200V	110V	AFC165VP-P	+B110V	12V	26V	ABL		12V
21		TCL9621D	BSC28-23742	1-2-4,3-5-6-8-9-10	200V	110V	AFC165VP-P	+B110V	12V	26V	ABL		12V
20		EC-2061D(9)	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
18		FC471	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
20		EC-2063	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
20		EC-2061	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
20		EC-2061D	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
20		HC-2061	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
20		HC-2063R	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
20		EC-227	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
22		HC-2263R	BSC24-06133	1-2-4,3-5-7-8-9	175V	112V	AFC165VP-P	+B112V	41V	ABL		12V	28VP-P
18		EC-182T	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
20		EC-206T	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
22		EC-227T	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
22		EC-227T	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
22		EC-227E	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
22		SC-206	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
22		EC-227D	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
21		CJK53B	BSC24-07025	1-2-4,3-5-7-8-9	170V	112V	AFC150VP-P	+B112V	41V	ABL		12V	28VP-P
16		16CT2025/50S	BSC22-17213	1-3-4-5-9,2-8,6-10	60VP-P	28VP-P	26V	180V	12V	+B125V	ABL		
14		14CTO6020/93Z	BSC22-17168	1-3,2-4-5-6,8-9	28VP-P	180V		12.5V		25V	ABL	115V	+B115V
14		14CTO6020/93D	BSC22-17168	1-3,2-4-5-6,8-9	28VP-P	180V		12.5V		25V	ABL	115V	+B115V
20		ATV-8201/K12	BSC25-17210	1-13,2-4,3-5,6-12,8-9,10-	+B145V		50VP-P	26V		60VP-P	ABL	30V	
22		K12	BSC25-17210	1-13,2-4,3-5,6-12,8-9,10-	+B145V		50VP-P	26V		60VP-P	ABL	30V	
26		26CT853/96Z	BSC25-17210	1-13,2-4,3-5,6-12,8-9,10-	+B145V		50VP-P	26V		60VP-P	ABL	30V	
22		26C852/70Z	BSC25-17210	1-13,2-4,3-5,6-12,8-9,10-	+B145V		50VP-P	26V		60VP-P	ABL	30V	
20		20C937/96Z	BSC24-17220	1-2,4-5,6-7-8-9	+B129V	129V	ABL	28VP-P		180V		13V	30V
18		18C927/96Z	BSC24-17220	1-2,4-5,6-7-8-9	+B129V	129V	ABL	28VP-P		180V		13V	30V
20		203010/57Z	BSC24-17220	1-2,4-5,6-7-8-9	+B129V	129V	ABL	28VP-P		180V		13V	30V
16		16CT729	BSC24-17220	1-2,4-5,6-7-8-9	+B129V	129V	ABL	28VP-P		180V		13V	30V
20		KT3	BSC24-17220	1-2,4-5,6-7-8-9	+B129V	129V	ABL	28VP-P		180V		13V	30V
20		20CT3030	BSC24-17220	1-2,4-5,6-7-8-9	+B129V	129V	ABL	28VP-P		180V		13V	30V
20		ITT	BSC25-17320	1-2,3-8,4-5-6-15,9-10-11,	28VP-P		23V			128VP-P	ABL		880VP-P

10	11	12	HV-	FV-	SV-	FX-
216V			31KV	6.9-10.8KV	240-1200V	
216V			31KV	6.9-10.8KV	240-1200V	
216V			31KV	6.9-10.8KV	240-1200V	
28VP-P			24KV	5.4-9.6KV	120-980V	
28VP-P			24KV	5.4-9.6KV	120-980V	
28VP-P			28KV	6.2-10.4V	140-1120V	
28VP-P			28KV	6.2-10.4V	140-1120V	
28VP-P			28KV	6.2-10.4V	140-1120V	
28VP-P			28KV	6.2-10.4V	140-1120V	
28VP-P			28KV	6.2-10.4V	140-1120V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-7.2KV	180-770V	
			24KV	3.8-5.8KV	180-520V	
			24KV	3.8-5.8KV	180-520V	
			24KV	3.8-5.8KV	180-520V	
			24KV	3.8-5.8KV	180-520V	
			24KV	3.8-5.8KV	180-520V	
			24KV	3.8-5.8KV	180-520V	
			24KV	3.8-5.8KV	180-520V	
			24KV	3.8-5.8KV	180-520V	
			24KV	3.8-5.8KV	180-520V	
125V			22KV	8.1KV		
			22KV	9KV		
			22KV	9KV		
	28VP-P	,13 14,15	25KV	6KV		
	28VP-P	,13 14,15	25KV	6KV		
	28VP-P	,13 14,15	25KV	6KV		
	28VP-P	,13 14,15	25KV	6KV		
			24KV	7.5KV		
			24KV	7.5KV		
			24KV	7.5KV		
			24KV	7.5KV		
			24KV	7.5KV		
			24KV	7.5KV		
	30V	+B120V, 13 12	25KV	9.2KV		

					1	2	3	4	5	6	7	8	9
20		CT5140PDH	BSC24-23572	1-2-3,4-6-8	112V	194V	+B 112V			B1 12V	ALB	32VP-P	
28		CTV-2835	BSC28-23315	1-2-3,4-5-6-7-10	105V	+B 105V	190V	30VP-P	26.4V	B 16V		ABL	
20		DCS-2011	BSC25-08286	2-4-10-11,3-5-6-7-9			210VP-P	28VP-P	175V	B15V	AFC 300VP-P	ABL	21V
20		DFC-2052P	BSC25-08286	2-4-10-11,3-5-6-7-9			210VP-P	28VP-P	175V	B15V	AFC 300VP-P	ABL	21V
21		EC-2103	BSC26-03336	1-2-4,3-6-8-9-10	200V	106V	AFC 180VP-P	+B 106V		B2 43V	ABL		B1 13V
21		EC2103AR	BSC22-04646	1-2-4,3-6-8-9-10	180V	106V	AFC 160VP-P	+B 106V		25.5V	ABL		B1 13V
25		G8171M	BSC28-27691	1-2,9-10,4-5-6-7	130V	+B 130V		25V	B1 16.9V		35VP-P	ABL	
28		G8271MF	BSC28-23595	1-2,4-5-6-7-9-10	133V	+B 133V		26KV	B1 17V		33VP-P	ABL	AFC 60VP-P
21		HC-2104	BSC25-23341	1-2-3,4-5-6-8-10	106V	190V	+B 106V		B2 26.1V	B1 16.2V	ABL	30VP-P	
14		HC3710	BSC21-21588	1-2-8,3-4-5-6	115V	+B 115V	B1 6.2V	AFC 90VP-P		27VP-P	ABL		
21		HC5404	BSC25-03346	1-2-3,4-7-9-10	135V	+B 135V	135V				B2 14V	ABL	30VP-P
21		HC5409	BSC23-03394	1-2-3,4-5-6-7-9	112V	+B 112V	AFC 170VP-P	B1 14.3V	B2 24.8V	30VP-P		ABL	AFC 120VP-P
21		HC54FS-	BSC25-03346	1-2-3,4-7-9-10	135V	+B 135V	135V				B2 14V	ABL	30VP-P
21		HC54FS- B	BSC23-03394	1-2-3,4-5-6-7-9	112V	+B 112V	AFC 170VP-P	B1 14.3V	B2 24.8V	30VP-P		ABL	AFC 120VP-P
22		HC56-	BSC24-16282	1-2-4,3-6-8-9-10	120V	190V	+B 120V		160VP-P	ABL	B1 16.5V	60V	32VP-P
28		HC71FS-	BSC29-23376	1-2-4,3-6-8-9-10	200V	129V	AFC 170VP-P	+B 129V		B2 24V	ABL		B1 12V
28	SG7101B	HC71FS-	BSC29-23376	1-2-4,3-6-8-9-10	200V	129V	AFC 170VP-P	+B 129V		B2 24V	ABL		B1 12V
20		JTC472	BSC22-03326	1-2-3,4-6-8	111.8V	180V	+B 118V			B1 13.3V	ABL	28VP-P	
21		JZ-5401	BSC25-23337	1-2-3,4-6-8	112V	190V	+B112V			B1 13.9V	ABL	29VP-P	
28		K-9228MF	BSC28-23595	1-2,4-5-6-7-9-10	133V	+B 133V		26KV	B1 17V		33VP-P	ABL	AFC 60VP-P
20		KG5106	BSC25-23574	1-2-3-5,4-6-8	104V	183V	+B 107V			B1 12V	ABL	29VP-P	
21		KG-5406	BSC25-23574	1-2-3-5,4-6-8	104V	183V	+B 107V			B1 12V	ABL	29VP-P	
21		KG-5418	BSC26-23680	1-2-3-5,4-6-8	107V	190V	+B 107V			B1 15V	ABL	29VP-P	
21		LXC54-2PZ	BSC23-03394	1-2-3,4-5-6-7-9	112V	+B 112V	AFC 170VP-P	B1 14.3V	B2 24.8V	30VP-P		ABL	AFC 120VP-P
28	SAKURA	CTV71	BSC31-23501	1-2-3,5-6-7-9-10	110V	+B 110V	195V		B1 19.7V	29V		ABL	AFC 180VP-P
17		SBCY44-1	BSC24-13445	1-3-9,2-4-5-7-8	110V		+B 110V	B2 24V	B1 12V	ABL	29VP-P		190V
21		SBCY54-2	BSC24-13445	1-3-9,2-4-5-7-8	110V		+B 110V	B2 24V	B1 12V	ABL	29VP-P		190V
20		SC-5107	BSC28-21438	3-9-10,1-2-4-5-8	B2 45V	B1 19V	+B 125V	29VP-P	AFC 140VP-P		ABL		180V
20		SC-5107	BSC28-21438	3-9-10,1-2-4-5-8	B2 45V	B1 19V	+B 125V	29VP-P	AFC 140VP-P		ABL		180V
14		SC-C37BY	BSC22-23575	1-2-3,4-5-6-8-10	110V	180V	+B 110V		42V	B1 12V	ABL	30VP-P	
14		SC-C38E	BSC22-20361	1-3-9,7-8,2-4-5	115V		+B 115V	B2 50V	B1 12V	ABL	32VP-P		190V
21		SDC-5403D	BSC24-23516	1-2-3,4-5-6-8	112V								
20		SDCY51-2	BSC21-13677	1-3-9,2-4-5,7-8	115V		+B 115V	B2 52V	B1 13.5V	ABL	22VP-P		167V
20		SDCY51-2	BSC21-13677	1-3-9,2-4-5,7-8	115V		+B 115V	B2 52V	B1 13.5V	ABL	22VP-P		167V
21		SDCY54-2	BSC21-13677	1-3-9,2-4-5,7-8	115V		+B 115V	B2 52V	B1 13.5V	ABL	22VP-P		167V
20		SFC51-2	BSC24-23572	1-2-3,4-6-8	112V	194V	+B 112V			B1 12V	ALB	32VP-P	
20		SFC51-4	BSC25-23345	1-2-3,4-6-8	118V	190V	+B 118V			B1 14.2V	ALB	29VP-P	
21		SFC54-4	BSC26-23525	1-2-3,4-6-8	111V	200V	+B 110V			B1 12V	ALB	30VP-P	
21		SFC54-4A	BSC26-23525	1-2-3,4-6-8	111V	200V	+B 110V			B1 12V	ALB	30VP-P	
28		SG7101	BSC29-23376	1-2-4,3-6-8-9-10	200V	129V	AFC 170VP-P	+B 129V		B2 24V	ABL		B1 12V
17		SGC-4403	BSC22-23380	1-2-3,4-5-6-8	115V	180V	+B 115V		B2 26V	B1 12V	ABL	30VP-P	

10	11	12	HV-	FV-	SV-	FX-
			24KV	3-5.4KV	80-820V	
AFC 190VP-P			28KV	6.2-10.4KV	170-1150V	
+B 112V	112V		25KV	3.7-6.9KV	100-1000V	
+B 112V	112V		25KV	3.7-6.9KV	100-1000V	
29VP-P			26KV	6.2-9.8KV	190-980V	
26VP-P			22KV	5.7-9.6KV	100-850V	
175V			28KV	7.2-10.8KV	160-1050V	
200V			28KV	6-10.2KV	200-1100V	
AFC 170VP-P			25KV	6.2-9.4KV	210-1030V	
			21KV	3-6.6KV	105-810V	
AFC 150VP-P			25KV	5.7-9KV	140-1100V	
			23KV	5.6-9.4KV	130-950V	
AFC 150VP-P			25KV	5.7-9KV	140-1100V	
			23KV	5.6-9.4KV	130-950V	
AFC 130VP-P			23KV			
28VP-P			29KV	4.7-8.8KV	180-970V	
28VP-P			29KV	4.7-8.8KV	180-970V	
			22KV	4.6-7.8KV	120-960V	
			25KV	5.6-9.1KV	210-1000V	
200V			28KV	6-10.2KV	200-1100V	
			25KV	4.3-9KV	100-1000V	
			25KV	4.3-9KV	100-1000V	
			26KV	6-9.6KV	110-910V	
			23KV	5.6-9.4KV	130-950V	
34VP-P			31KV	16.9-11KV	11-1300V	
			24KV			
			24KV			
125V			28KV	7.3-10.4KV	110-1020V	
125V			28KV	7.3-10.4KV	110-1020V	
AFC 170VP-P			22KV	3-5.1KV	120-960V	
			22KV	8.4KV		
			21KV			
			21KV			
			21KV			
			24KV	3-5.4KV	80-820V	
			25KV	5.8-6.3KV	200-1050V	
			26KV	5.7-9.1KV	150-1140V	
			26KV	5.7-9.1KV	150-1140V	
28VP-P			29KV	4.7-8.8KV	180-970V	
			22KV	5-9.1KV	150-950V	

					1	2	3	4	5	6	7	8	9
20		SGC-5103	BSC22-23380	1-2-3,4-5-6-8	115V	180V	+B 115V		B2 26V	B1 12V	ABL	30VP-P	
20		SGC-5113	BSC28-21438	3-9-10,1-2-4-5-8	B2 45V	B1 19V	+B 125V	29VP-P	AFC 140VP-P		ABL		180V
28		SGC-7112	BSC29-23376	1-2-4,3-6-8-9-10	200V	129V	AFC 170VP-P	+B 129V		B2 24V	ABL		B1 12V
21		VC-2118HP	BSC25-23341	1-2-3,4-5-6-8-10	106V	190V	+B 106V		B2 26.1V	B1 16.2V	ABL	30VP-P	
14		Z637-2A	BSC23-13506	1-3-9,7-8,2-4-5	115V		+B 115V	50V	B1 12V	ABL	28VP-P		185V
14		Z637-3A	BSC21-21588	1-2-8,3-4-5-6	115V	+B 115V	B1 6.2V	AFC 90VP-P		27VP-P	ABL		
20		Z651-6A	BSC25-23341	1-2-3,4-5-6-8-10	106V	190V	+B 106V		B2 26.1V	B1 16.2V	ABL	30VP-P	
21		Z651-6A2	BSC25-23341	1-2-3,4-5-6-8-10	106V	190V	+B 106V		B2 26.1V	B1 16.2V	ABL	30VP-P	
21		Z654-6A	BSC25-23341	1-2-3,4-5-6-8-10	106V	190V	+B 106V		B2 26.1V	B1 16.2V	ABL	30VP-P	
21		ZJ-5401	BSC25-23337	1-2-3,4-6-8	112V	190V	+B 112V			B1 13.9V	ABL	29VP-P	
21		EC-2003R	BSC25-03310	1-2-4,3-6-8-9-10		115V	AFC200VP-P	+B 115V		48V	ABL		B 12V
21		C536	BSC24-23521	1-2-4,3-6-8-9-10	185V	106V	AFC150VP-P	+B106V		30V	ABL		B1 12V
19		1941	BSC25-24666	1-6-7-9,2-4-5	30VP-P	190V		113V	+B113V	B1 15V	44VP-P	ABL	
21		2143	BSC25-24666	1-6-7-9,2-4-5	30VP-P	190V		113V	+B113V	B1 15V	44VP-P	ABL	
25		2588A	BSC29-23673	1-2-3,4-5-6-7-9-10	115V	+B115V	197V		B1-2 3V	27V	B1 14V	ABL	32VP-P
18		C1492	BSC25-23511	1-2-4,3-8-9-10	190V	116V	AFC150VP-P	+B116V			ABL		B1 12V
18		C185	BSC25-23727	2-4,3-5-8-10		130V	AFC130VP-P	+B130V	B1 6.7V		ABL		
18		C-1861	BSC28-23512	1-2-4,3-8-9-10	190V	112V	AFC180VP-P	+B112V			ABL		B1 14V
21		C2152	BSC25-23727	2-4,3-5-8-10		130V	AFC130VP-P	+B130V	B1 6.7V		ABL		
21		C-2167	BSC28-23512	1-2-4,3-8-9-10	190V	112V	AFC180VP-P	+B112V			ABL		B1 14V
21		C2188	BSC26-23544	1-2-3,4-5-6-7-9-10	115V	+B115V	180V		27V		B1 14V	ABL	32VP-P
21		C2192	BSC25-23734	1-2-3,4-8-9	115V	+B115V	190				B1 12V	ABL	30VP-P
21		C2192A	BSC25-23734	1-2-3,4-8-9	115V	+B115V	190				B1 12V	ABL	30VP-P
21		C2192AV	BSC25-23734	1-2-3,4-8-9	115V	+B115V	190				B1 12V	ABL	30VP-P

10	11	12	HV-	FV-	SV-	FX-
			22KV	5-9.1KV	150-950V	
125V			28KV	7.3-10.4KV	110-1020V	
28VP-P			29KV	4.7-8.8KV	180-970V	
AFC 170VP-P			25KV	6.2-9.4KV	210-1030V	
			23KV			
			21KV	3-6.6KV	105-810V	
AFC 170VP-P			25KV	6.2-9.4KV	210-1030V	
AFC 170VP-P			25KV	6.2-9.4KV	210-1030V	
AFC 170VP-P			25KV	6.2-9.4KV	210-1030V	
			25KV	5.6-9.1KV	210-1000V	
30VP-P			25KV	5.6-9.1KV	150-1120V	
34VP-P			24KV	4.6-7.8KV	120-900V	
			25KV	6.2-9.8KV	160-980V	
			25KV	6.2-9.8KV	160-980V	
AFC200VP-P			29KV	7-11KV	150-1100V	
28VP-P			25KV	3.5-6.6KV	140-1060V	
30VP-P			25KV	5.8-9.5KV	120-850KV	
32VP-P			28KV	5.8-10KV	160-1290V	
30VP-P			25KV	5.8-9.5KV	120-850KV	
32VP-P			28KV	5.8-10KV	160-1290V	
AFC160VP-P			26KV	6.2-10.1KV	180-1170V	
			25KV	6-9.9KV	140-890V	
			25KV	6-9.9KV	140-890V	
			25KV	6-9.9KV	140-890V	