

Dearborn Protocol Adapter (DPA) and PLC TestCon Pinouts and Industry Connectors Reference Guide

Document Revision1.6Document Date:February 2, 2010Copyright:Copyright © 2010 Dearborn Group Technology

Permission is granted to copy any or all portions of this manual, provided that such copies are for use with the DPA product and that the name "Dearborn Group Technology" remains on all copies.

Disclaimer: The information in this documentation is for reference purposes only. Attention has been made to ensure this information is correct, however connectors and pinouts change, therefore DG will not be held responsible for any damages incurred by using the information printed in this document.

1. DPA 4 AND DPA 5 SERIES (COLOR AND BLACK/WHITE TABLE)

DPA variants up to and including the DPA 4 Plus were pinned out according to the printing on the DPA endplate (i.e. "/T", "/MH", etc). These tables provide a list of most of the DPA adapters that may still be in service. If you cannot find your adapter in this list, please do not hesitate to call our technical support department and we will provide you with the correct pinouts and the list of protocols your variant supports.

Pin	DPA5	DPA 4/4 Plus	DPA 4 Dual CAN	Pin	DPA5	DPA 4/4 Plus	DPA 4 Dual CAN
Ground	6	6	6	Ground	6	6	6
Power (9-32vdc)	8	8	8	Power (9-32vdc)	8	8	8
J1708-	14	14	14	J1708-	14	14	14
J1708+	15	15	15	J1708+	15	15	15
CAN1 Shield	7	7	7	CAN1 Shield	7	7	7
CAN1 Lo	12	12	12	CAN1 Lo	12	12	12
CAN1 Hi	13	13	13	CAN1 Hi	13	13	13
CAN1 Term 1	3	3	3	CAN1 Term 1	3	3	3
CAN1 Term 2	4	4	4	CAN1 Term 2	4	4	4
CAN TX	NC	NC	NC	CAN TX	NC	NC	NC
CAN RX	NC	NC	NC	CAN RX	NC	NC	NC
SW CAN	10	10	10	SW CAN	10	10	10
ALDL	16	1	1	ALDL	16	1	1
ALDL RX	NC	NC	NC	ALDL RX	NC	NC	NC
9141 K Line	1	NC	NC	9141 K Line	1	NC	NC
9141 L Line	11	NC	NC	9141 L Line	11	NC	NC
J1850 Hi	5	5	5	J1850 Hi	5	5	5
J1850 Lo	NC	NC	NC	J1850 Lo	NC	NC	NC
ATEC Data	NC	NC	NC	ATEC Data	NC	NC	NC
ATEC Diag	NC	NC	NC	ATEC Diag	NC	NC	NC
Discrete In	NC	NC	NC	Discrete In	NC	NC	NC
Discrete Out	NC	NC	11	Discrete Out	NC	NC	11
CAN2 Term 1	20	NC	20	CAN2 Term 1	20	NC	20
CAN2 Term 2	21	NC	21	CAN2 Term 2	21	NC	21
CAN2 Shield	23	NC	23	CAN2 Shield	23	NC	23
CAN2 Lo	22	NC	22	CAN2 Lo	22	NC	22
CAN2 Hi	24	NC	24	CAN2 Hi	24	NC	24
LIN	NC	NC	NC	LIN	18	NC	18
HALDEX	NC	NC	NC	HALDEX	NC	NC	NC

Page 2 of 12

Copyright © 2010 Dearborn Group Technology

2. DPA II AND III SERIES, AND OTHER LEGACY DPA PRODUCTS (COLOR TABLE)

DPA variants up to and including the DPA 4 Plus were pinned out according to the printing on the DPA endplate (i.e. "/T", "/MH", etc). These tables provide a list of most of the DPA adapters that may still be in service. If you cannot find your adapter in this list, please do not hesitate to call our technical support department and we will provide you with the correct pinouts and the list of protocols your variant supports.

Pin	DPA II	DPA II /T	DPA II DDE	INLINE II	DPA III	DPA III+ /M	DPA III+ /MH	DPA III+ /MHSW	DPA III+ /T & /I	DPA III+ /TSW	DPA III+ /C	DPA III+ /SCP	DPA ISA	DPA PC/104
Ground	9	6	6	25	9	9	9	9	6	6	9	6	6	11
Power (9-32vdc)	10	8	8	23	10	10	10	10	8	8	10	8	NC	NC
J1708 Lo	11	14	14	4	11	11	11	11	14	14	11	14	14	12
J1708 Hi	12	15	15	3	12	12	12	12	15	15	12	15	15	14
CAN Shield	13	7	7	7	13	13	13	13	7	7	13	7	7	13
CAN Lo	14	12	12	8	14	14	14	14	12	12	14	12	12	8
CAN Hi	15	13	13	6	15	15	15	15	13	13	15	13	13	10
CAN Term 1	7	3	3	19	7	3	3	3	3	3	7	3	3	5
CAN Term 2	8	4	4	20	8	4	4	4	4	4	8	4	4	7
CAN TX	NC	NC	NC	NC	3	NC	NC	NC	NC	NC	NC	NC	NC	NC
CAN RX	NC	NC	NC	NC	4	NC	NC	NC	NC	NC	NC	NC	NC	NC
SW CAN	NC	NC	NC	NC	NC	NC	NC	6	NC	10	NC	10	NC	NC
ALDL	NC	NC	NC	NC	1	1	1	1	1	1	1	1	1	1
ALDL RX	NC	NC	NC	NC	NC	NC	2	2	NC	NC	NC	NC	NC	NC
Master/Slave 1	NC	NC	NC	NC	2	2	NC	NC	2	2	2	2	2	3
Master/Slave 2	NC	NC	NC	NC	6	6	6	NC	10	NC	6	NC	10	4
9141 K Line	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	1	NC	NC	NC
9141 L Line	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	3	NC	NC	NC
J1850 Hi	NC	NC	NC	NC	5	5	5	5	5	5	5	5	5	9
J1850 Lo	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	9	NC	NC
External Power	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	8	15
External Ground	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	9	2
ATEC Data	NC	NC	NC	NC	NC	7	7	7	NC	NC	NC	NC	NC	NC
ATEC Diag	NC	NC	NC	NC	NC	8	8	8	NC	NC	NC	NC	NC	NC
Discrete In	NC	NC	NC	NC	NC	NC	NC	NC	9	9	4	NC	NC	NC
Discrete Out	NC	NC	NC	NC	NC	NC	NC	NC	11	11	NC	11	NC	NC

Copyright © 2010 Dearborn Group Technology

Page 3 of 12

3. DPA II AND III SERIES, AND OTHER LEGACY DPA PRODUCTS (BLACK/WHITE TABLE)

DPA variants up to and including the DPA 4 Plus were pinned out according to the printing on the DPA endplate (i.e. "/T", "/MH", etc). These tables provide a list of most of the DPA adapters that may still be in service. If you cannot find your adapter in this list, please do not hesitate to call our technical support department and we will provide you with the correct pinouts and the list of protocols your variant supports.

Pin	DPA II	DPA II /T	DPA II DDE	INLINE II	DPA III	DPA III+ /M	DPA III+ /MH	DPA III+ /MHSW	DPA III+ /T & /I	DPA III+ /TSW	DPA III+ /C	DPA III+ /SCP	DPA ISA	DPA PC/104
Ground	9	6	6	25	9	9	9	9	6	6	9	6	6	11
Power (9-32vdc)	10	8	8	23	10	10	10	10	8	8	10	8	NC	NC
J1708 Lo	11	14	14	4	11	11	11	10	14	14	11	14	14	12
J1708 Hi	12	15	15	3	12	12	12	12	15	15	12	15	15	14
CAN Shield	13	7	7	7	13	13	13	13	7	7	13	7	7	13
CAN Lo	14	12	12	8	14	14	14	14	12	12	14	12	12	8
CAN Hi	15	13	13	6	15	15	15	15	13	13	15	13	13	10
CAN Term 1	7	3	3	19	7	3	3	3	3	3	7	3	3	5
CAN Term 2	8	4	4	20	8	4	4	4	4	4	8	4	4	7
CAN TX	NC	NC	NC	NC	3	NC	NC	NC	NC	NC	NC	NC	NC	NC
CAN RX	NC	NC	NC	NC	4	NC	NC	NC	NC	NC	NC	NC	NC	NC
SW CAN	NC	NC	NC	NC	NC	NC	NC	6	NC	10	NC	10	NC	NC
ALDL	NC	NC	NC	NC	1	1	1	1	1	1	1	1	1	1
ALDL RX	NC	NC	NC	NC	NC	NC	2	2	NC	NC	NC	NC	NC	NC
Master/Slave 1	NC	NC	NC	NC	2	2	NC	NC	2	2	2	2	2	3
Master/Slave 2	NC	NC	NC	NC	6	6	6	NC	10	NC	6	NC	10	4
9141 K Line	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	1	NC	NC	NC
9141 L Line	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	3	NC	NC	NC
J1850 Hi	NC	NC	NC	NC	5	5	5	5	5	5	5	5	5	9
J1850 Lo	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	9	NC	NC
External Power	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	8	15
External Ground	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	9	2
ATEC Data	NC	NC	NC	NC	NC	7	7	7	NC	NC	NC	NC	NC	NC
ATEC Diag	NC	NC	NC	NC	NC	8	8	8	NC	NC	NC	NC	NC	NC
Discrete In	NC	NC	NC	NC	NC	NC	NC	NC	9	9	4	NC	NC	NC
Discrete Out	NC	NC	NC	NC	NC	NC	NC	NC	11	11	NC	11	NC	NC

Copyright © 2010 Dearborn Group Technology


Page 4 of 12

4. DEUTSCH CONNECTORS (3/6/9-PIN)

NOTE: On the Deutsch 9-pin SAE Standard Heavy-Duty Truck Connector, pins H and J are labeled "OEM Specific". Some truck OEMs have used these pins differently (i.e. PACCAR and ISO9141), however the most common use of these pins is for a second CAN channel (i.e. Freightliner Cascadia). It has been requested of all diagnostic adapter vendors by the TMC RP1210 task force to use blue colored sheathing on their vehicle-side cables that are wired for a second CAN channel (as per the Freightliner Cascadia model). DG uses blue colored sheathing on our DPA 5 cables that support a second CAN channel.


4.1. 3-PIN DEUTSCH - J1939 BACKBONE CONNECTOR

Pin	Value
А	CAN/J1939 Hi
В	CAN/J1939 Lo
С	CAN/J1939 Shield



4.2. 6-Pin Deutsch - Commonly Called the J1708/J1587 Heavy-Duty Truck Connector

Pi	n	Value
Α		J1708/J1587 Hi
В		J1708/J1587 Lo
С		+12V
D		OEM Specific
Е		Ground
F		OEM Specific




Copyright © 2010 Dearborn Group Technology

Dearborn Group Technology ■ 33604 West 8 Mile Road ■ Farmington Hills, MI 48335 Phone (248) 888-2000 ■ <u>sales@dgtech.com</u> ■ <u>techsupp@dgtech.com</u> ■ <u>http://www.dgtech.com</u>

Page 5 of 12


4.3. 9-Pin Deutsch – SAE Standard Heavy-Duty Truck Connector

Pin	Value
Α	Ground
В	+12V
С	CAN/J1939 Hi
D	CAN/J1939 Lo
Е	CAN/J1939 Shield
F	J1708/J1587 Hi
G	J1708/J1587 Lo
Н	OEM Specific
J	OEM Specific



4.4. 9-Pin Deutsch – Freightliner Cascadia (H,J Used for Dual CAN)

Pin	Value
А	Ground
В	+12V
С	CAN/J1939 Hi
D	CAN/J1939 Lo
Е	CAN/J1939 Shield
F	J1708/J1587 Hi
G	J1708/J1587 Lo
Н	CAN 2 Hi
J	CAN 2 Lo




Page 6 of 12

Copyright © 2010 Dearborn Group Technology


4.5. 9-PIN DEUTSCH - PACCAR (J USED FOR ISO9141 K-LINE)

Pin	Value
А	Ground
В	+12V
С	CAN1/J1939 Hi
D	CAN1/J1939 Lo
E	CAN1/J1939 Shield
F	J1708/J1587 Hi
G	J1708/J1587 Lo
Н	OEM Specific
J	ISO9141 K-Line



4.6. 9-Pin Deutsch – CAT Industrial Connector – With "Keyed" A Pin (J1708/J1587, J1939, CAT Data Link)

Pin	Value
А	+12V
В	Ground
С	CAN Shield
D	CAT Data Link (CDL) Hi
E	CAT Data Link (CDL) Lo
F	CAN/J1939 Lo
G	CAN/J1939 Hi
Н	ATA/J1587/J1708 Lo
J	ATA/J1587/J1708 Hi




Page 7 of 12

Copyright © 2010 Dearborn Group Technology

5. SAE J1962 OBDII CONNECTOR

Pin	Value
1	N/C
2	J1850 +
3	Ford DCL(+) Argentina, Brasil (pre OBD-II) 1997-2000
4	Chassis Ground (GND)
5	Signal Ground
6	CAN High (ISO 15765-4 and SAE-J2234)
7	K line of ISO 9141-2 and ISO 14230-4
8	N/C
9	N/C
10	J1850 -
11	Ford DCL(-) Argentina, Brasil (pre OBD-II) 1997-2000
12	N/C
13	N/C
14	CAN Low (ISO 15765-4 and SAE-J2234)
15	ISO 9141-2 L Line
16	+V




Page 8 of 12

Copyright © 2010 Dearborn Group Technology

6. SAE J560 TRAILER CONNECTOR AND THE DG PLC TESTCON

6.1. SAE J560 TRAILER CONNECTOR SHOWING PLC4TRUCKS ON TERMINAL 7 – AUXILIARY POWER

Terminal Number	Conductor Wire Color	Lamp and Signal Circuits
1	White	Ground return to towing vehicle
2	Black	Clearance, side marker, and identification lamps
3	Yellow	Left turn signal and hazard lamps
4	Red	Stop lamps and antilock devices
5	Green	Right turn signal and hazard lamps
6	Brown	Tail and license plate lamps
7	Blue	Auxiliary Power (PLC4TRUCKS)



6.2. PLC TESTCON PINOUTS - TRAILER/TRACTOR SIDE - (DB15 FEMALE)

DB15F Pin	J560 Pin	Signal Name	Function
1	N/A	No Connection	Reserved
2	N/A	No Connection	Reserved
3	N/A	No Connection	Reserved
4	N/A	Tractor/Trailer Mode	If floating, Tractor Mode
If grounded, Trailer Mode			
5	N/A	External ABS Lamp Input	External 12V ABS Lamp (+12V side)
6	1 (White)	Ground (-VDC)	Ground
7	N/A	CAN Shield	Pass-through for CAN/J1939 Shield
8	7 (Blue)	Power (+VDC/PLC)	Power (9-16VDC)
9	N/A	No connection	Reserved
10	N/A	No connection	Reserved
11	N/A	No connection	Reserved
12	N/A	CAN Low (-)	Pass-through for CAN/J1939 Low
13	N/A	CAN High (+)	Pass-through for CAN/J1939 High
14	N/A	J1708 Low (-)	J1708/J1587 Low (-)
15	N/A	J1708 High (-)	J1708/J1587 High (-)

Page 9 of 12


Copyright © 2010 Dearborn Group Technology

DPA and PLC TestCon Pinouts and Industry Connectors Reference Guide


6.3. PLC TESTCON PINOUTS - PIGTAIL SIDE (TO J1708 ADAPTER) - (DB15 MALE)

DB15M Pin	Signal Name	Function	
1	No Connection	No Connection	
2	No Connection	No Connection	
3	No Connection	No Connection	
4	No Connection	No Connection	
5	No Connection	No Connection	
6	Ground (-VDC)	Ground	
7	CAN/J1939 Shield	CAN/J1939 Shield	
8	Power (+VDC/PLC)	Power (9-16VDC)	
9	No connection	No Connection	
10	No connection	No Connection	
11	No connection	No Connection	
12	CAN Low (-)	CAN/J1939 Low	
13	CAN High (+)	CAN/J1939 High	
14	J1708 Low (-)	J1708/J1587 Low (-)	
15	J1708 High (-) J1708/J1587 High		

6.4. PLC TESTCON EXTERNAL WIRING EXAMPLE



7. D-SUB 9, 15 AND 25 CONNECTORS



RS-232 DB9 Pinout Designations

Pin	Name	Notes/Description	
1	DCD	Data Carrier Detect	
2	RD	Receive Data (Rx)	
3	TD	Transmit Data (Tx)	
4	DTR	Data Terminal Ready	
5	SGND	Ground	
6	DSR	Data Set Ready.	
7	RTS	Request To Send.	
8	CTS	Clear To Send.	
9	RI	Ring Indicator	

Page 11 of 12

Copyright © 2010 Dearborn Group Technology

8. USB CONNECTORS USED WITH THE DPA

The DPA variants that use USB as an adapter to PC communications method have a "USB Type A Male" (FIGURE 1 - right) to a "USB Type B Male" (FIGURE 1 - left) cable.

Newer DPA variants such as the DPA 4 Plus and DPA 5 have standoff screws allowing the new DG USB cable (FIGURE 2) to be screwed into the DPA enclosure, reducing the risk of damage to the USB connector on the DPA circuit board.

DG recommends using USB cables that have gold-plated connectors.



FIGURE 1 – Type B Male (left) to Type A Male (right)



FIGURE 2 – Type A Male (left) to Type B Male (right)

Pin	Name	Cable color	Description
1	VCC	Red	+5 VDC
2	D-	White	Data -
3	D+	Green	Data +
4	GND	Black	Ground





USB Male (Plug) Connectors

Page 12 of 12

Copyright © 2010 Dearborn Group Technology