




Optoisolatori con uscita a transistor CNY17



Articolo	CODICE VEMATRON	Caratteristiche elettriche						Contenitore
		I_F (mA)	V_F (V)	I_C (mA)	V_{CE} (V)	I_C/I_F (%)	BV_S (V_{RMS})	
CNY17-1	3962 CNY17-1	60	1,25	50	70	80	5300	DIL-60I
CNY17-2	3962 CNY17-2	60	1,25	50	70	125	5300	DIL-60I
CNY17-3	3962 CNY17-3	60	1,25	50	70	200	5300	DIL-60I
CNY17-4	3962 CNY17-4	60	1,25	50	70	320	5300	DIL-60I

Optoisolatori con uscita a transistor CNY74 TLP504 MCT6



Articolo	CODICE VEMATRON	Caratteristiche elettriche						Contenitore
		I_F (mA)	V_F (V)	I_C (mA)	V_{CE} (V)	I_C/I_F (%)	BV_S (V_{RMS})	
CNY74-2	3962 CNY74-2	50	1,15	50	55	50	2500	DIL-80I
CNY74-4	3962 CNY74-4	50	1,15	50	55	50	2500	DIL-160I
TLP504A	3962 TLP504A	50	1,15	50	55	50	2500	DIL-80I
TLP504A-2	3962 TLP504A 2	50	1,15	50	55	50	2500	DIL-160I
MCT6	3962 MCT6	60	1,25	30	30	50	5300	DIL-160I