

7. Electric Parts List

7-1 CK20H1VR5X/NWT Parts List

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
		ASSY-PCB,MAIN(OPT)					
		BUYER : SRSC					
*	AA94-00854A	ASSY-PCB,MAIN(OPT);CK20H1VR5X/NWT,S15A,N-RUSSIA					
C101	2401-000030	C-AL:22uF,20%,25V,GP,TP,5x11,5		C418	2401-000384	C-AL:10uF,20%,100V,GP,TP,6.3x11,5mm	
C102	2401-001082	C-AL:330nF,20%,50V,GP,TP,5x11,5		C419	2201-000984	C-CERAMIC,DISC:680pF,10%,2KV,Y5P,TP,11x6,7.5mm	
C103	2401-001363	C-AL:470uF,20%,16V,GP,TP,10x12.5,5		C502	2301-000213	C-FILM,PEF:220nF,5%,250V,TP,21.5x11,7.5	
C201	2306-000122	C-FILM,MPPF:100nF,5%,50V,TP,7.3x4.0x5.0mm,		C503	2201-002063	C-CERAMIC,DISC:10nF,+80-20%,3KV,Y5V,TP,16x5,7	
C202	2401-001840	C-AL:100uF,20%,16V,GP,TP,6.3x11,5		C504	2401-001232	C-AL:4.7uF,20%,250V,GP,TP,10x12.5,5	
C203	2401-000660	C-AL:2.2uF,20%,50V,GP,TP,5x11,5		C506	2401-000430	C-AL:10uF,20%,250V,GP,TP,10x16mm,5mm	
C204	2401-000603	C-AL:1uF,20%,50V,GP,TP,5x11,5		C601	2202-000210	C-CERAMIC,MLC-AXIAL:270pF,10%,50V,Y5P,TP,1.9x3.5,7	
C205	2305-000411	C-FILM,MPEF:470nF,5%,50V,TP,7.3x4.8x5.5mm,		C602	2401-000030	C-AL:22uF,20%,25V,GP,TP,5x11,5	
C206	2305-000411	C-FILM,MPEF:470nF,5%,50V,TP,7.3x4.8x5.5mm,		C603	2301-000445	C-FILM,PEF:4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
C207	2305-000196	C-FILM,MPEF:150nF,5%,63V,TP,-,5mm		C604	2401-001323	C-AL:470nF,20%,50V,BP,TP,5x11,5mm	
C208	2401-000027	C-AL:4.7uF,20%,50V,GP,TP,5x11,5		C610	2401-001998	C-AL:1000uF,20%,25V,GP,TP,10x20,5mm	
C209	2202-000849	C-CERAMIC,MLC-AXIAL:18pF,5%,50V,CH,TP,3.5x1.9,-		C613	2202-000796	C-CERAMIC,MLC-AXIAL:1nF,10%,50V,Y5P,TP,3.5X1.9MM,-	
C210	2301-000445	C-FILM,PEF:4.7nF,5%,50V,TP,5.5x7x3mm,5mm		C614	2202-000210	C-CERAMIC,MLC-AXIAL:270pF,10%,50V,Y5P,TP,1.9x3.5,7	
C211	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,		C702	2202-000263	C-CERAMIC,MLC-AXIAL:470pF,10%,50V,Y5P,TP,3.5x19,-	
C212	2202-000796	C-CERAMIC,MLC-AXIAL:1nF,10%,50V,Y5P,TP,3.5X1.9MM,-		C705	2401-001989	C-AL:4.7uF,20%,50V,BP,TP,5x11,5	
C213	2201-000273	C-CERAMIC,DISC:18pF,5%,50V,CH,TP,5x3mm,5		C706	2401-001989	C-AL:4.7uF,20%,50V,BP,TP,5x11,5	
C214	2301-000356	C-FILM,PEF:47nF,5%,50V,TP,7.5x4.0x6.5,5mm		C800	2306-000321	C-FILM,MPPF:470nF,5%,275V,TP,-,22.5	
C215	2301-000383	C-FILM,PEF:10nF,5%,50V,TP,6x7x3.2mm,5mm		C801	2401-002213	C-AL:150uF,+30-10%,450V,GP,BK,25x35	
C216	2305-000289	C-FILM,MPEF:220nF,5%,63V,TP,-,5mm		C802	2401-001192	C-AL:33uF,20%,50V,GP,TP,6.3x11,5	
C217	2301-000192	C-FILM,PEF:1nF,5%,50V,TP,5.3x10mm,5mm		C803	2301-000224	C-FILM,PEF:22nF,5%,50V,TP,7.4x3.9x13mm,5mm	
C219	2401-000603	C-AL:1uF,20%,50V,GP,TP,5x11,5		C804	2301-000310	C-FILM,PEF:68nF,5%,50V,TP,8.0X8.5X4.0X5,5	
C221	2202-000121	C-CERAMIC,MLC-AXIAL:100pF,10%,50V,Y5P,TP,1.9x3.5,-		C805	2303-000163	C-FILM,PPF:2.2nF,5%,800V,TP,15x13x8.5,7.5	
C222	2401-000480	C-AL:10uF,20%,50V,GP,TP,5x11,5		C806	2201-000446	C-CERAMIC,DISC:3.3nF,20%,400V,Y5U,TP,18x8,10mm	
C224	2202-000295	C-CERAMIC,MLC-AXIAL:68pF,5%,50V,SL,TP,3.5x19,-		C807	2201-000991	C-CERAMIC,DISC:560pF,10%,2KV,Y5P,TP,13x7,7.5	
C226	2301-000224	C-FILM,PEF:22nF,5%,50V,TP,7.4x3.9x13mm,5mm		C808	2401-000262	C-AL:100uF,20%,160V,HR,TP,16x25,7.5	
C228	2201-000247	C-CERAMIC,DISC:15pF,5%,50V,CH,TP,5x3,5		C809	2401-002290	C-AL:47uF,20%,160V,GP,TP,13x20,5	
C230	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5		C810	2201-000991	C-CERAMIC,DISC:560pF,10%,2KV,Y5P,TP,13x7,7.5	
C231	2401-000480	C-AL:10uF,20%,50V,GP,TP,5x11,5		C811	2401-003141	C-AL:2200uF,20%,25V,WT,TP,13x25,5mm	
C232	2401-001840	C-AL:100uF,20%,16V,GP,TP,6.3x11,5		C814	2301-000192	C-FILM,PEF:1nF,5%,50V,TP,5.3x10mm,5mm	
C238	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5		C815	2401-002594	C-AL:220uF,20%,16V,GP,TP,8x11.5,5	
C239	2305-000289	C-FILM,MPEF:220nF,5%,63V,TP,-,5mm		C816	2401-000603	C-AL:1uF,20%,50V,GP,TP,5x11,5	
C240	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,		C818	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5	
C247	2202-002037	C-CERAMIC,MLC-AXIAL:100nF,80-20%,50V,Y5V,TP,2.2x3.		C819	2401-001840	C-AL:100uF,20%,16V,GP,TP,6.3x11,5	
C248	2309-000138	C-FILM,PE-PPF:100nF,5%,50V,TP,20x16x8.5,7.5mm		C901	2401-001840	C-AL:100uF,20%,16V,GP,TP,6.3x11,5	
C249	2401-000603	C-AL:1uF,20%,50V,GP,TP,5x11,5		C902	2202-000796	C-CERAMIC,MLC-AXIAL:1nF,10%,50V,Y5P,TP,3.5X1.9MM,-	
C250	2301-000224	C-FILM,PEF:22nF,5%,50V,TP,7.4x3.9x13mm,5mm		C904	2202-000796	C-CERAMIC,MLC-AXIAL:1nF,10%,50V,Y5P,TP,3.5X1.9MM,-	
C251	2301-000204	C-FILM,PEF:2.7nF,5%,50V,TP,7.4x3.9x13mm,5		C905	2401-001333	C-AL:470nF,20%,50V,GP,TP,5x11,5	
C252	2301-000192	C-FILM,PEF:1nF,5%,50V,TP,5.3x10mm,5mm		C907	2201-000119	C-CERAMIC,DISC:100nF,+80-20%,50V,Y5V,TP,8x3.5	
C301	2202-000253	C-CERAMIC,MLC-AXIAL:4.7nF,20%,16V,Y5R,TP,1.9x3.5,7		C908	2201-000193	C-CERAMIC,DISC:10pF,0.3pF,50V,CH,TP,5x3,5	
C302	2202-000253	C-CERAMIC,MLC-AXIAL:4.7nF,20%,16V,Y5R,TP,1.9x3.5,7		C909	2201-000193	C-CERAMIC,DISC:10pF,0.3pF,50V,CH,TP,5x3,5	
C303	2401-003028	C-AL:100uF,20%,25V,WT,TP,6.3x11,5		C910	2306-000122	C-FILM,MPPF:100nF,5%,50V,TP,7.3x4.0x5.0mm,	
C304	2401-000903	C-AL:22uF,20%,160V,WT,TP,10x20mm,5mm		C911	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm	
C305	2305-000178	C-FILM,MPEF:10nF,5%,100V,TP,-,5mm		C912	2201-000234	C-CERAMIC,DISC:150pF,5%,50V,CH,TP,9.5x3,5	
C306	2305-000285	C-FILM,MPEF:220nF,5%,100V,TP,10.5X5.5X15MM		C913	2301-000108	C-FILM,PEF:1.5nF,5%,50V,TP,6.5x3.0x5.5mm,	
C307	2305-000708	C-FILM,MPEF:150nF,5%,100V,TP,16.5x10.3x5.7		C914	2306-000122	C-FILM,MPPF:100nF,5%,50V,TP,7.3x4.0x5.0mm,	
C308	2305-000450	C-FILM,MPEF:56nF,5%,100V,TP,-,5mm		C915	2306-000122	C-FILM,MPPF:100nF,5%,50V,TP,7.3x4.0x5.0mm,	
C401	2301-000383	C-FILM,PEF:10nF,5%,50V,TP,6x7x3.2mm,5mm		C916	2301-000247	C-FILM,PEF:33nF,5%,50V,TP,8.1x4.5x13mm,5mm	
C402	2201-000599	C-CERAMIC,DISC:560pF,10%,500V,Y5P,TP,7x4,5		C917	2202-002037	C-CERAMIC,MLC-AXIAL:100nF,80-20%,50V,Y5V,TP,2.2x3.	
C403	2201-000556	C-CERAMIC,DISC:470pF,10%,500V,Y5P,TP,7x4,5		C919	2202-000796	C-CERAMIC,MLC-AXIAL:1nF,10%,50V,Y5P,TP,3.5X1.9MM,-	
C404	2401-001998	C-AL:1000uF,20%,25V,GP,TP,10x20,5mm		C920	2401-000480	C-AL:10uF,20%,50V,GP,TP,5x11,5	
C408	2401-002619	C-AL:47uF,20%,25V,GP,TP,5x11,5		C922	2201-000573	C-CERAMIC,DISC:47pF,5%,50V,CH,TP,6.5x3.0,5	
C409	2306-000253	C-FILM,MPPF:7.2nF,5%,1.6KV,TP,28.5x18.5x12		C923	2202-002037	C-CERAMIC,MLC-AXIAL:100nF,80-20%,50V,Y5V,TP,2.2x3.	
C410	2201-000406	C-CERAMIC,DISC:270pF,10%,2KV,Y5P,TP,8x6,7.5		C924	2202-002037	C-CERAMIC,MLC-AXIAL:100nF,80-20%,50V,Y5V,TP,2.2x3.	
C411	2401-000927	C-AL:22uF,20%,250V,GP,TP,13x20,5		C926	2202-000796	C-CERAMIC,MLC-AXIAL:1nF,10%,50V,Y5P,TP,3.5X1.9MM,-	
C413	2305-000382	C-FILM,MPEF:4.7nF,5%,400V,TP,-,5mm		C927	2201-000573	C-CERAMIC,DISC:47pF,5%,50V,CH,TP,6.5x3.0,5	
C414	2301-001065	C-FILM,MPPF:47nF,5%,630V,TP,19x15.5x7,7.5		CA01	2401-001989	C-AL:4.7uF,20%,50V,BP,TP,5x11,5	
C415	2401-000560	C-AL:1uF,20%,160V,GP,TP,6.3x11,5		CN501	AA39-20109B	LEAD-CONNECTOR,ASSY:-,YBNH025-08,S,8P,500,1007#26	
C416	2306-000195	C-FILM,MPPF:360nF,5%,400V,TP,26x19x11.5,20		CN603	3711-002643	CONNECTOR-HEADER:BOX,4P,1R,2.5mm,STRAIGHT,SN	
C417	2201-000556	C-CERAMIC,DISC:470pF,10%,500V,Y5P,TP,7x4,5		CN802	AA27-20003Y	COIL-DEGAUSSING:-,20,200HM,35T,1,2170,E	
				CW901	2503-000156	C-NETWORK:100pF,4,20%,50V	
				D201	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP	
				D202	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP	
				D205	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP	
				D208	2001-000633	R-CARBON:30KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
				D209	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP	

Electric Parts List

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
D210	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		L306	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
D211	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		L401	AA27-30001B	COIL-LINEARITY:-,195uH,QIC1010,PI0,4,4.5x21.5	
D213	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		L402	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	
D401	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP		L601	2701-000146	INDUCTOR-AXIAL:2.2uH,10%,2.5x3.4mm	
D402	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP		L702	2701-000184	INDUCTOR-AXIAL:4.7uH,10%,2.5x3.4mm	
D403	0402-001105	DIODE-RECTIFIER:ERB43-04SV1,400V,1.0A,-,TP		L703	2701-000184	INDUCTOR-AXIAL:4.7uH,10%,2.5x3.4mm	
D404	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,TP		L706	2701-000184	INDUCTOR-AXIAL:4.7uH,10%,2.5x3.4mm	
D405	0402-001105	DIODE-RECTIFIER:ERB43-04SV1,400V,1.0A,-,TP		L801	AA29-30001B	FILTER-LINE:-,27mH,-,-	
D406	0402-001105	DIODE-RECTIFIER:ERB43-04SV1,400V,1.0A,-,TP		L804	3301-000287	CORE-FERRITE BEAD:AA,3.5x1.0x6.0mm,1500,2400G	
D501	0402-000216	DIODE-RECTIFIER:ERC24-06,600V,1.0A,DO-204		L805	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	
D502	0402-001105	DIODE-RECTIFIER:ERB43-04SV1,400V,1.0A,-,TP		L807	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	
D503	0402-001105	DIODE-RECTIFIER:ERB43-04SV1,400V,1.0A,-,TP		L809	2701-001032	INDUCTOR-AXIAL:100uH,10%,5x14mm	
D504	0402-001105	DIODE-RECTIFIER:ERB43-04SV1,400V,1.0A,-,TP		L810	2701-001032	INDUCTOR-AXIAL:100uH,10%,5x14mm	
D800	1405-000187	VARISTOR:750V,1250A,12.5x7mm,TP		L902	2701-000189	INDUCTOR-AXIAL:470nH,10%,2.5x3.4mm	
D801	0402-000102	DIODE-BRIDGE:D2SB60,600V,1.5A,-		L904	2701-000299	INDUCTOR-AXIAL:13uH,10%,2.5x3.4mm	
D802	0402-000540	DIODE-RECTIFIER:RU20A,600V,1.5A,-,TP		LD901	AA96-30007A	ASSY-LED,GUIDE:-,AA61-50055A,DL-G7GA,GREEN	
D803	0402-000430	DIODE-RECTIFIER:FML-G02S,200V,3.0A,TO-220F,BK		NT801	1404-001075	THERMISTOR-NTC:5ohm,15%,-,17mW/C,TP	
D804	0402-000213	DIODE-RECTIFIER:ERB12-06,600V,1.0A,DO-41,TP		P801	1404-001048	THERMISTOR-PTC:7ohm,30%,200/220V,270V,19A,-,B	
D809	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		PC801	0604-001038	PHOTO-COUPLER:TR,130-260%,200mW,DIP-4,ST	
D810	0402-000216	DIODE-RECTIFIER:ERC24-06,600V,1.0A,DO-204		Q201	0501-002183	TR-SMALL SIGNAL:KTC9014,NPN,625mW,TO-92,TP,100	
D901	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		Q202	0501-002183	TR-SMALL SIGNAL:KTC9014,NPN,625mW,TO-92,TP,100	
D903	0403-000296	DIODE-ZENER:MTZ5.6B,5.6V,5.45-5.73V,500mW,		Q204	0501-002183	TR-SMALL SIGNAL:KTC9014,NPN,625mW,TO-92,TP,100	
D905	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		△ Q401	0502-001115	TR-POWER:KSC5386,NPN,50W,TO-3PF,ST,8-	
D906	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		△ Q402	0501-000369	TR-SMALL SIGNAL:KSC2331-Y,NPN,1W,TO-92L,-,120-	
D907	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		Q701	0501-002183	TR-SMALL SIGNAL:KTC9014,NPN,625mW,TO-92,TP,100	
D908	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		Q901	0501-002183	TR-SMALL SIGNAL:KTC9014,NPN,625mW,TO-92,TP,100	
D910	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M		Q903	0501-002183	TR-SMALL SIGNAL:KTC9014,NPN,625mW,TO-92,TP,100	
D912	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		Q904	0504-000123	TR-DIGITAL:KSR1010,NPN,300mW,10K,TO-92,TP	
DA01	0401-000005	DIODE-SWITCHING:1N4148,75V,200MA,DO-35,TP		Q905	0504-000123	TR-DIGITAL:KSR1010,NPN,300mW,10K,TO-92,TP	
DZ201	0403-000355	DIODE-ZENER:UZ5.1BSB,5.1V,4.97-5.18V,500mW		Q906	0504-000123	TR-DIGITAL:KSR1010,NPN,300mW,10K,TO-92,TP	
DZ202	0403-000551	DIODE-ZENER:MTZ3.9B,3.9V,3.89-4.16V,500mW,		Q907	0504-000125	TR-DIGITAL:KSR1012,NPN,300mW,47K,TO-92,TP	
DZ203	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		Q908	0504-000123	TR-DIGITAL:KSR1010,NPN,300mW,10K,TO-92,TP	
DZ204	2001-000812	R-CARBON:5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M		QA01	0501-002183	TR-SMALL SIGNAL:KTC9014,NPN,625mW,TO-92,TP,100	
DZ205	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		R200	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ208	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		R201	2001-000005	R-CARBON:390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ301	0403-000660	DIODE-ZENER:MTZ22A,22V,20.15-21.2V,500mW,D		R202	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ302	0403-001039	DIODE-ZENER:MA2560,56V,52-60V,1W,DO-41,TP		R203	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ401	0403-000296	DIODE-ZENER:MTZ5.6B,5.6V,5.45-5.73V,500mW,		R204	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ501	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		R207	2001-000008	R-CARBON:15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ502	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		R208	2001-000005	R-CARBON:390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ503	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		R209	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
DZ504	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		R210	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ704	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		R211	2001-000331	R-CARBON:12KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ802	0403-000297	DIODE-ZENER:MTZ6.2B,6.2V,5.96-6.27V,500mW,		R212	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ803	1203-001217	IC-POS.ADJUST REG.:431,TO-92,3P,4.58MIL,PLASTIC,2		R213	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ804	2001-001170	R-CARBON(S):6.8OHM,5%,1/2W,AA,TP,2.4x6.4MM		R214	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ808	0403-000300	DIODE-ZENER:MTZ8.2B,8.2V,7.78-8.19V,500mW,		R215	2001-001015	R-CARBON:9.1KOHM,5%,1/8W,AA,TP,1.8X3.2M	
DZ809	0403-000296	DIODE-ZENER:MTZ5.6B,5.6V,5.45-5.73V,500mW,		R216	2001-000490	R-CARBON:200OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ901	0403-000563	DIODE-ZENER:MTZ9.1B,9.1V,8.57-9.01V,500mW,		R217	2001-000449	R-CARBON:2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
DZ902	2202-000127	C-CERAMIC,MLC-AXIAL:10nF,+80-20%,25V,Y5V,TP,-,7.5		R218	2001-000591	R-CARBON:3.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
DZ903	1203-000451	IC-VOLTAGE REGULATOR:33,TO-92,3P,-,PLASTIC,31/35V,		R219	2001-000008	R-CARBON:15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ905	0403-000296	DIODE-ZENER:MTZ5.6B,5.6V,5.45-5.73V,500mW,		R221	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ907	0403-000296	DIODE-ZENER:MTZ5.6B,5.6V,5.45-5.73V,500mW,		R223	2001-000938	R-CARBON:68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
DZ909	0403-000551	DIODE-ZENER:MTZ3.9B,3.9V,3.89-4.16V,500mW,		R224	2001-000563	R-CARBON:27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
△ F801	3601-000261	FUSE-FERRULE:250V,3.15A,TL,GLASS,5.2x20mm		R225	2001-000554	R-CARBON:270OHM,5%,1/8W,AA,TP,1.8X3.2MM	
△ F801A	3602-000114	FUSE-HOLDER:-,30mohm		R226	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
△ F801B	3602-000114	FUSE-HOLDER:-,30mohm		R227	2004-001234	R-METAL:75Kohm,5%,1/8W,AA,TP,1.8x3.2mm	
△ F802	3601-001086	FUSE-FERRULE:125V,5A,FA,GLASS,2.4x7.5mm		R229	2001-000890	R-CARBON:6.8KOHM,5%,1/8W,AA,TP,1.8X3.2M	
△ IC201	1204-001440	IC-VIDEO SYSTEM:TDA8842,DIP,56P,300MIL,PLASTIC		R230	2001-000793	R-CARBON:47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
△ IC301	1204-000441	IC-IF CIRCUIT:TDA8356,SIP,9P,-,PLASTIC,40V,-		R231	2001-000563	R-CARBON:27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
△ IC501	1201-001159	IC-VIDEO AMP:6107,ZIP,9P,300MIL,SINGLE,-,PL		R232	2001-000356	R-CARBON:150KOHM,5%,1/8W,AA,TP,1.8X3.2M	
△ IC601	1201-001147	IC-AUDIO AMP:7056B,SIP,9P,-,SINGLE,41.5dB,P		R234	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
△ IC801	1203-001494	IC-PWM CONTROLLER:3S0680RF,TO3PF-5L,5,210,PLASTI		R236	2003-000634	R-METAL OXIDE(S):3.9Kohm,5%,1W,AA,TP,3.3x9mm	
△ IC802	1203-001531	IC-POS.FIXED REG.:7630,SIP,10P,-,PLASTIC,5.1/8V,		R237	2001-000793	R-CARBON:47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
△ IC901	AA13-30021J	IC-MCU:-,SZM-173ER3(R3943),8BIT,ST,SD		R240	2001-000832	R-CARBON:510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
△ IC902	1103-001105	IC-EEPROM:24C040,4Kx1BIT,DIP,8P,300MIL,1		R241	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
J181	2001-000539	R-CARBON:24KOHM,5%,1/8W,AA,TP,1.8X3.2MM		R242	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
J185	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		R251	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP,1.8x3.2mm	
JS701	3722-000497	JACK-PIN:4P,3.4mm,SN,BLK,-		R252	2004-001914	R-METAL:39Kohm,2%,1/8W,AA,TP,1.8x3.5mm	
L102	2701-000212	INDUCTOR-AXIAL:68uH,10%,2.8x7mm		R262	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
L103	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		R301	2004-001983	R-METAL(S):2.49Kohm,1%,1/2W,AA,TP,2.4x6.4	
L206	2701-000168	INDUCTOR-AXIAL:3.3uH,5%,2.5x3.4mm		R302	2008-001033	R-FUSIBLE(S):10ohm,5%,2W,AF,TP,3.9x10mm	
L207	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		R303	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
L301	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		R305	2004-001370	R-METAL(S):1.3ohm,1%,1/2W,AA,TP,2.4x6.4mm	
L302	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		R306	2008-000254	R-FUSIBLE(S):0.68ohm,5%,2W,AF,TP,3.9x10mm	
L304	2701-000159	INDUCTOR-AXIAL:22uH,10%,4.2x9.8mm		R307	2003-000649	R-METAL OXIDE(S):330ohm,5%,1W,AF,TP,3.3x9mm	
L305	2701-000116	INDUCTOR-AXIAL:10uH,10%,4.2x9.8mm		R402	2003-000664	R-METAL OXIDE(S):33ohm,5%,2W,AF,TP,4x12mm	

